Index

Reactor Materials

Volume 11

Note: The page range for each of the four issues of Vol. 11 is as follows:

No. 1, pages 1 to 79
No. 2, pages 81 to 143
No. 3, pages 145 to 203
No. 4, pages 205 to 261

Acoustic-emission testing, 77, 201
Alloys
  (see also specific alloys, e.g., Aluminum alloys (Al–Cu))
  creep-rupture properties of irradiated, method of predicting, 177
  testing for use in liquid Na, 167
Alumina
  (see Aluminum oxides (Al_2O_3))
Aluminum
  bonding by magnetic-pulse technique, 197
  brazing to 304 stainless steel, 257–58
  electroforming of, 138
  fabrication of porous bodies, 137
  fabrication of porous bodies by plasma-arc spraying, 254
  fission-product release from, 90
  gas tungsten-arc welding, 197
  liquid Cd penetration in, 100
  pressure bonding to stainless steel, use of W as diffusion barriers, 137–38
  radiation effects, 13
Aluminum (irradiated)
  electrical conductivity, effect of Cu, Mg, and Ag additives, 117
Aluminum (liquid)
  reaction with H_2O, 233
Aluminum alloy (1100)(irradiated)
  tensile properties, 235–36
Aluminum alloy (2014-T6)
  welding of unequal-diameter cylinders, 258
Aluminum alloy (2024-0)
  explosive welding, 140
Aluminum alloy (2219)
  pressure bonding to Al–Mo–Ti alloys, 195
  pressure bonding to 321 stainless steel, 195–96
  stress corrosion by NaCl–$AlCl_3$–HCl solution, 227
Aluminum alloy (2219-T87)
  stress-corrosion cracking, 102
  welding by chemical vapor deposition, 73
Aluminum alloy (6061-0)
  drawing, vibration effects on, 70–71
Aluminum alloy (7025)
  stress corrosion by NaCl–$AlCl_3$–HCl solution, 227
Aluminum alloy (7075-T6)
  stress-corrosion cracking, 102
Aluminum alloy (7106)
  pressure bonding to 321 stainless steel, 195
Aluminum alloy (X2021)
  weldability, 197
Aluminum alloy (X7007)
  weldability, 197
Aluminum alloy (X8001)(irradiated)
  tensile properties, 235
Aluminum alloy sheets (Al–Mg–Zn)
  corrosion by water, effect of Be, Cr, Mn, Ti, and Zn additions on, 120–21
Aluminum alloys (Al–80)
  corrosion by terphenyl coolants, 36–37
Aluminum alloys (Al–Be)
  properties, 159–60
Aluminum alloys (Al–Cr–Fe–Y)
  development for fuel cladding, 69
Aluminum alloys (Al–Cr–Fe–Y)(irradiated)
  stress-rupture properties, 115
Aluminum alloys (Al–Cr–Mg)
  cavitation damage in H_2O, 32
Aluminum alloys (Al–Co)
  reaction with H_2, 222–23
Aluminum alloys (Al–Cu)
  reaction with H_2, 222–23
Aluminum alloys (Al–Cu–Mg–Mn)
  cavitation damage in H_2O, 32
Aluminum alloys (Al–Dy–U)
  phase studies, 148
Aluminum alloys (Al–Fe–Nb)
  oxidation, 105
Aluminum alloys (Al–Li)
  irradiation damage, mechanism of, 44–45
Aluminum alloys (Al–Li)(irradiated)
  damage mechanisms, 44–45
Aluminum alloys (Al–Mg)
  reaction with H_2, 222–23
Aluminum alloys (Al–Mg–Ni)
  reaction with H_2, 222–23
Aluminum alloys (Al–Mo–Ti)
  pressure bonding to 321 stainless steel, 195
  pressure bonding to 2219 Al alloy, 195
Aluminum alloys (Al–Mo–Ti–V)
  diffusion bonding, 76
  diffusion welding of sheets, 258
  explosive welding, 140
  laser-beam welding of thin sheets, 258
  pressure bonding to Inconel 600, 195
Aluminum alloys (Al–Ni)
  reaction with H_2, 222–23
Aluminum alloys (Al–Pu)
  development for the high-exposure program, 148
  development for the Phoenix program, 148
  fabrication, 191
Aluminum alloys (Al–Sm–U)
  phase studies, 148
Aluminum alloys (Al–Ti)
  reaction with H_2, 222–23
Aluminum alloys (Al–Ti–V)
  diffusion bonding, 76
  diffusion welding of sheets, 258
  drawing, vibration effects on, 70
  explosive welding, 140
  inertia welding, 197
  reaction with H_2 at low temperature, 25
Aluminum alloys (Al–U)
  casting patent, use of vibration in, 192
Aluminum alloys (Al–U)(irradiated)
  electrical conductivity, 216
  phase compositions, 206
  stability, 86
  swelling, 206–7
Aluminum alloys (Al–U–Zr)
  phase studies, 148
Aluminum alloys (Al–V)
  mechanical properties, 51
Aluminum alloys (irradiated)
  radiation effects, review, 172
Aluminum alloys (SAP)
  bibliography on, 179
  fracture mechanism, 56
  fusion welding, 139
  metallurgy and mechanical properties, 120–21
  preparation, 254
  pressure bonding to stainless steel, use of Ni–W alloy as diffusion barrier, 139
  pressure welding, 139
  properties as fuel-cladding material for heavy-water reactors, review, 179
  roll bonding to stainless steel, 139
Aluminum alloys (SAP)(irradiated)
  tensile properties, 172
Aluminum alloys (SAP-895)
  pressure bonding to 347 stainless steel, 73
  transition joining to 304 stainless steel, use of barrier materials for diffusion inhibition, 125–26
Aluminum dispersions (Al–Al_2O_3)
  brazing, 200
  preparation, 195
Aluminum dispersions (Al–B)
  thermal properties, 224
Aluminum dispersions (Al–UAl_3)(irradiated)
  stability, 86
Aluminum intermetallic compounds (NiAl)
  preparation by the floating-zone-melting

process, 135–36
Aluminum nitride systems (AlN–SiC)
hot pressing of fine powders, density and die reactions, 245
Aluminum oxide cermets (Al_2O_3–Nb)
preparation by the floating-zone-melting process, 135–36
Aluminum oxide composites (glass–Al_2O_3)
strength properties, 63
Aluminum oxide dispersions (Co–Mo–Ni–W–Al_2O_3)
properties, 137
Aluminum oxide systems (Al_2O_3–B_4C)
radiation effects, 62
Aluminum oxide systems (Al_2O_3–Co–TiC)
hot pressing of fine powders, density and die reactions, 245
Aluminum oxides (Al_2O_3)
brazing, 139
flow and fracture of polycrystalline, 186
fracture stress, effect of strain on, 186–87
hot hardness, 246–47
hot pressing of fine powders, density and die reactions, 245
radiation damage, 160
Rn and Xe diffusion studies, 90
sintering, 63
strength, effects of surface treatment on, 248
Th and U diffusion in alpha, 87
Aluminum oxides (Al_2O_3)(irradiated)
swelling, 183–84
Aluminum shot
vibratory-packing characteristics, 194
Aluminum tubes
brazing, fluxless methods for, 140
AM-350
corrosion by Hg, 232
AM-355
corrosion by Hg, 232
Americium isotopes (^{241}Am)
preparation and properties of metal, 136
AS-30
creep properties, effect of vacuum and high temperature, 239
Astar 811C
creep properties, effect of vacuum and high temperature, 239

B-66
coating by CVD, 255
mechanical properties, 230
stress–rupture properties, 118–19
B-1900
production of high purity, 254
Bendel
corrosion, 227–28
Beryllides
properties, 160
Beryllium
alloying with Al, 159–60
alloying with Cu, 159
analysis for minute quantities of impurities, 23–24
anisotropy, 95
book: "The Beryllium Metal Handbook", 22
chemical-vapor deposition of, 158
compression properties, 93–94
corrosion by H_2O, 22–23
corrosion, protection by Be–Cr–P coating, 97
corrosion protection by fluorination, 158
deformation modes, 20–21, 93–94
diffusion bonding, 76
electron-beam welding, 96–97
extrusion, bibliography on, 192
fabrication into fuel-element tubes, 158
fracture strength of N50A and S-200, 21–22
hardness of single crystals, effect of orientation on, 21
helium formation in neutron irradiated, 20
joining, 96–97
mechanical metallurgy, 93–95, 158–59
mechanical properties, effect of applying hydrostatic pressure on, 94
mechanical properties, effects of prestraining on, 94
physical metallurgy, 19–20, 95–96, 159–60
polishing techniques, 23
powder metallurgy, 96, 158
production of powder by splat cooling, 20
purification by zone refining, 192
welding of, 22, 96
Beryllium (HP-40)
microyield stresses, 94–95
Beryllium (I-400)
microyield stresses, 94
Beryllium (molten)
fabrication of crucibles for, 245
Beryllium (S-200)
fracture toughness, 94
mechanical properties of thin sheet, 158–59
Beryllium (S-200-E)
production, 96
Beryllium (SP-200-D)
microyield stresses, 94–95
Beryllium (SR)
grain refinement, use of explosive deformation in, 95
Beryllium alloy (Super-PEL)
microyield stresses, 94–95
Beryllium alloy sheets (Be–Cu)
production and properties, 95
Beryllium alloys
extrusion, bibliography on, 192
joining, 96–97
mechanical metallurgy, 93–95
physical metallurgy, 19–20, 95–96, 158–59
powder metallurgy, 96, 158
Beryllium alloys (Al–Be)
properties, 159–60
Beryllium alloys (Be–Cr)
aging studies, 95–96
Beryllium alloys (Be–Cu)
mechanical properties, 95
properties, 159
strength of sheets produced from splat-cooled material, 20
Beryllium alloys (Be–Ag)
microyield stresses, 94–95
Beryllium alloys (Be–Pu)
production, 148
Beryllium alloys (Be–Ti)
rod production by extrusion, 221
Beryllium alloys (Be–Zr)
aging studies, 95–96
rod production by extrusion, 221
Beryllium alloys (irradiated)
radiation effects, review, 172
Beryllium bicrystals
brittleness, 94
Beryllium dispersions (Be–ThO_2)
preparation, 220–21
Beryllium dispersions (Be–W)
preparation, 220–21
Beryllium foil
preparation, 158
Beryllium neutron reflectors
failure, 222
Beryllium oxide
grain size and strength, effect of SiC and MgO additions, 24
modulus of rigidity, 222
Poisson's ratio, 222
preparation and properties of low iron content, 160
radiation damage, 160
Beryllium oxide powder
preparation from $BeSO_4.4H_2O$, effects of decomposition conditions, 97
Beryllium oxide systems (Be–BeO_2)
diffusion welding of thin sheets, 258
Beryllium powders
hot pressing into dense compacts, 158
pressing and sintering, 195
Beryllium sheets
bending fractures, 221
elastic properties of rolled, 21
fabrication, 221–22
mechanical properties of fine grain, 19–20
production from splat-cooled material, strength of, 20
Beryllium systems (Be–BeO_2)
diffusion welding of thin sheets, 258
Beryllium systems (Be–H)
hydrogen diffusion and solubility constants, 20
Beryllium tubing
expandability, 221
Bibliographies
metal extrusion, 192
BM-1 alloy
corrosion by fused CaF_2–LiF, 33
corrosion in fused LiF, 33
Bonding
magnetic-pulse method, 197
Bonding (pressure), 73, 76, 137–38, 195–96, 255
Books
"Dispersion Fuel Elements", 211
"Tungsten and Its Compounds", 120
on vibratory compaction of metal powders, 194
Boron
chemical-vapor deposition onto Mo, Nb, Ta, and W, 255–56
production of ^{10}B enriched, survey of, 224
Boron alloys (B–Cu)
helium precipitation in irradiated, 12
Boron alloys (B–Mg)
reaction with H_2, 222–23
Boron alloys (B–V)
phase studies, 27
Boron carbide dispersions (Cu–B_4C)
thermal properties, 224
Boron carbide systems (Al_2O_3–B_4C)
radiation effects, 62
Boron carbides
production of, patent for, 182
Boron carbides (B_4C)
hot pressing of fine powders, density and die reactions, 245
radiation effects, 62
self-shielding effect in, 27
Boron dispersions (Al–B)
thermal properties, 224
Brazing, 75–77, 139–41, 197–200, 257–58
Bronze powders
fabrication into filters, 195

C-129Y
coating with VSi_2, 105
corrosion by boiling K, 106–7
Cadmium (liquid)
penetration in Al, 100

Cadmium alloys (Cd–Mg)
reaction with H_2, 222–23
Calcium (liquid)
solubility of transition metals in, 171
Calcium alloys (Ca–Sn)
reaction with H_2, 222–23
Calcium alloys (Ca–Zn)
reaction with H_2, 222–23
Carbon coatings (PyC)
deposition, 86
Carbon steels
corrosion in high-temperature water, 164
corrosion by water, 165
Carbon system rods (C–U)
fabrication by extrusion, 253–54
Carbon systems (C–Cr–Fe–V–Zr)
creep properties, 57
Carbon systems (C–Cr–W)
phase diagram, 59
Carbon systems (C–Hf–Nb–Zr)
phase diagrams, 127
Carbon systems (C–Hf–W)
high-temperature strength, effect of composition and heat treatment on, 246–47
weldability, 76
Carbon systems (C–Fe–Nb–V–Zr)
creep properties, 57
Carbon systems (C–Mo)
phase studies, 127
Carbon systems (C–Nb)
arc-melting and spin-casting into bend-rupture specimens, 253
Carbon systems (C–NbC)
electrical conductivity, effect of C content on, 243–44
Carbon systems (C–Nb–Zr)
phase studies, 59–60
Carbon systems (C–N–O–U)
phase studies, 151
Carbon systems (C–N–U)
phase diagram, 151–52, 212
Carbon systems (C–Th)
miscibility gaps, 7
phase diagrams, 9
Carbon systems (C–Ti)
phase studies, 62
Carbon system (C–W)
phase studies, 59
shear modulus, 179
Carbon systems (C–ZrC)
skull arc melting and drop casting, 191
Cb-132M
cavitation damage in liquid K, 232–33
creep properties, effect of vacuum and high temperature, 239
Cb-752
coating with Cr–Si–Ti, 105, 229
coating with Sylcor R512E, 106
production of small-diameter thin-walled tubing, 69–70
resistance spot welding, electrode-sticking studies, 76
stress–rupture properties, 118–19
Cb-753
stress–rupture properties, 118–19
Cerac-4
hot pressing of fine powders, density and die reactions, 245
Ceramic coatings
evaluation, 186
Ceramic fibers
preparation, 186
Ceramics
brazing, 139
electrolyzing techniques, 75
grain size control, 185–86
technology, 63, 130, 185–87, 148–49
thermal-shock resistance, 187
thermal-stress fracture of, effect of stress-relaxation by creep on, 130
Ceramics (irradiated)
properties, 216–17
Cerium
fabrication by cold working, 194
Cerium (liquid)
solubility of transition metals in, 171
Cerium alloys (Ce–Cu)
use in pressurized-CO_2 cooled reactors, 180
Cerium alloys (Ce–Eu)
preparation and properties, 27
Cerium borides (CeB6)
evaporative properties, 100
Cesium
reaction with graphite, 157
Cesium (liquid)
solubility of transition metals in, 171
Cesium (vapor)
reaction with graphite, 35–36, 108
Cesium iodide
fission product release studies, 90
Cesium sulfide (CeS)
hot pressing of fine powders, density and die reactions, 245
Chemical-vapor deposition
applications, 73–74, 255–57
Chromel A
corrosion, 227–28
Chromium
chemical-vapor deposition onto B-66, 255
diffusion of C in, 243
solubility in liquid alkali and alkaline-earth metals, 171
Chromium alloys
development for high-temperature applications, 68–69
Chromium alloys (Al–Cr–Fe–Y)
development for fuel cladding, 69
Chromium alloys (Al–Cr–Fe–Y)(irradiated)
stress–rupture properties, 115
Chromium alloys (Al–Cr–Mg)
cavitation damage in H_2O, 32
Chromium alloys (Be–Cr)
aging studies, 95–96
Chromium alloys (Cr–Hf)
corrosion in water and steam, 100
phase diagram, 223–24
Chromium alloys (Cr–Hf–Nb)
corrosion by oxygen, 33
Chromium alloys (Cr–Hf–Th–Y)
bend strength, effects of vacuum annealing, 46
stress–rupture properties, 123
tensile properties in Ar, 45–46
Chromium alloys (Cr–Fe–Ni)
stress–corrosion cracking, 103
Chromium alloys (Cr–Fe–Nb)
oxidation, 105
Chromium alloys (Cr–Fe–Sn–Zr)
aqueous corrosion, 164
Chromium alloys (Cr–Fe–V–Zr)
mechanical properties, 52
Chromium alloys (Cr–Mg)
reaction with H_2, 222–23
Chromium alloys (Cr–Ni–P)
use as brazing alloy for Hastelloy X, 75
use as brazing alloy for Inconel 718, 75
use as brazing alloys for Incoloy 800, 75
Chromium alloys (Cr–Nb)
mechanical properties, 177–78
Chromium alloys (Cr–Nb–Zr)
hardening characteristics, 180–81
Chromium alloys (Cr–TD nickel)
brazing, 199–200
Chromium alloys (Cr–Ti–V)
burst strength and ductility of tubing, 51
mechanical properties, 52, 239
Chromium alloys (Cr–Ti–V)(irradiated)
burst strength and ductility of tubing, 51
tangential rupture strength of, 175–76
Chromium alloys (Cr–W–Y)
protective coatings for, 166
Chromium alloys (Cr–TZC–Y)
bend strength, effects of vacuum annealing, 46
stress-rupture properties, 123
tensile properties in Ar, 45–46
Chromium alloys (Cr–U)
nucleation and growth of martensite in, 145
Chromium alloys (Cr–V)
mechanical properties, 51
Chromium alloys (Cr–V)(irradiated)
tensile properties, 176
Chromium alloys (Cr–V–Y)
bend strength, effects of vacuum annealing, 46
tensile properties in Ar, 45–46
Chromium alloys (Cr–Y)
bend strength, effects of vacuum annealing, 46
stress-rupture properties, 123
tensile properties in Ar, 45–46
Chromium alloys (Cr–Zr)
oxidation, effect of Zr content on, 166
Chromium borides (CrB_2)
microbrittleness, 61–62
microhardness, 61
Chromium carbides
diffusion of C in, 243
properties at high temperatures, 184
Chromium carbides (Cr_3C_2)
microhardness, 61–62
Chromium carbides (Cr_7C_3)
microhardness, 61–62
Chromium carbides ($Cr_{23}C_6$)
microhardness, 61–62
Chromium dispersions (Cr–Hf–Mo–Y_2O_3)
properties, 137
Chromium dispersions (Cr–Mo–Ni–W–La_2O_3)
properties, 137
Chromium dispersions (Cr–Mo–Ni–W–MgO)
properties, 137
Chromium dispersions (Cr–Ni–ThO_2)
creep properties, 125
Chromium intermetallic compounds (Cr_2AlC)
structure, 243
Chromium oxide systems (Cr_2O_3–Nb_2O_5)
phase studies, 63
Chromium oxides (Cr_2O_3)
Rn and Xe diffusion studies, 90
Chromium powders
pressing and sintering, 195
Chromium systems (C–Cr–Fe–V–Zr)
creep properties, 57
Chromium system (C–Cr–W)
phase diagram, 59
Chromium systems (Cr–Si–Ti)
chemical-vapor deposition onto B-66, 255
Cladding materials, 30–63, 102–30, 164–87, 226–49
compatibility with PuC–UC, 83
Coatings
for Nb alloys, 105
Coatings (Al–Mo–Sn)
for Ta–W alloys, 106
Coatings (Be–Cr–P)
for Be, 97
Coatings (Cr–Si–Ti)
for Cb-752 and FS-85, 105
Coatings (Mo–Re–W)

properties of chemical-vapor deposited, 74
Coatings (Ni–P)
nonelectric deposition onto dielectric surfaces, 138
Coatings (PyC)
deposition, 86
Coatings (SiC)
deposition, 86
Coatings (Sylcor R512E)
for Cb–752, 106
Coatings (Ti)
nonelectric deposition onto Nb alloys, 138
Coatings (VSi_2)
for C-129Y and Ta–W alloys, 105
Cobalt
physical-vapor deposition of, 255
solubility in liquid alkali and alkaline-earth metals, 171
Cobalt alloys (Al–Co)
reaction with H_2, 222–23
Cobalt alloys (Co–Lu–U)
mechanical properties, 205–6
Cobalt alloys (Co–Mg)
reaction with H_2, 222–23
Cobalt alloys (Co–Tm–U)
mechanical properties, 205–6
Cobalt alloys (Co–W)
diffusion bonding, 129
Cobalt alloys (Co–U–Y)
mechanical properties, 205–6
Cobalt dispersions (Co–Mo–Ni–W–Al_2O_3)
properties, 137
Cobalt dispersions (Co–Mo–Ni–W–ThO_2)
properties, 137
Cobalt dispersions (Co–Mo–Ni–W–Y_2O_3)
properties, 137
Cobalt systems (Al_2O_3–Co–TiC)
hot pressing of fine powders, density and die reactions, 245
Cobalt systems (Co–Mo–TiC)
hot pressing of fine powders, density and die reactions, 245
Cobalt systems (Co–Ni–TiC–WC)
properties, 246
Cobalt systems (Co–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Cobalt systems (Co–NbC–WC)
oxidation, 127–28
properties, 246
Cobalt systems (Co–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Cobalt systems (Co–TaC–WC)
hardness and transverse-rupture strength, effect of C content on, 128
Cobalt systems (Co–TiC)
hot pressing of fine powders, density and die reactions, 245
Cobalt systems (Co–TiC–W)
hot pressing of fine powders, density and die reactions, 245
Cobalt systems (Co–WC)
high-pressure sintering, 244–45
Colmonoys
sliding-wear performance of couples in water, 104
Computer codes and programs
for fuel-burning analysis, 89
Computers
applications in nondestructive testing, 77
Concretes
properties of different aggregate types, 130
radiation effects, 63
Conferences and symposia
on chemical-vapor deposition of refractory materials, 73
on effects of irradiation on metals, 235
on mechanical properties of pressure-vessel steels, 56
on Pu fuels, 210
on Th fuel cycle, 210
Control materials, 25–28, 93–100, 157–62, 220–24
Copper
drawing, vibration effects on, 70
radiation effects, 13
solubility in liquid Na, 108–9
xenon diffusion in, 12
Copper (irradiated)
damage mechanisms, 176
Copper alloy sheets (Be–Cu)
production and properties, 95
Copper alloys (Al–Cu)
reaction with H_2, 222–23
Copper alloys (Al–Cu–Mg–Mn)
cavitation damage in H_2O, 32
Copper alloys (Be–Cu)
mechanical properties, 95
properties, 159
Copper alloys (B–Cu)
He precipitation in irradiated, 12
Copper alloys (Be–Cu)
strength of sheets produced from splat-cooled material, 20
Copper alloys (Ce–Cu)
use in pressurized-CO_2 cooled reactors, 180
Copper alloys (Cu–Hf)
corrosion in water and steam, 100
Copper alloys (Cu–Li–Mg)
reaction with H_2, 222–23
Copper alloys (Cu–Mg)
use in pressurized CO_2-cooled reactors, 180
Copper alloys (Cu–Mn)
use in pressurized-CO_2 cooled reactors, 180
Copper alloys (Cu–Ni–W)
powder metallurgy, 195
Copper alloys (Cu–Pt)
use in pressurized-CO_2 cooled reactors, 180
Copper alloys (Cu–Ti)
reaction with H_2, 222–23
Copper alloys (Cu–Zr)
mechanical properties, effects of adding other metals, 180
Copper dispersions (Cu–B_4C)
thermal properties, 224
Copper films
deposition by gas discharge, 196
Corrosion (stress)
NDT methods for studying, 77

D-43
corrosion by boiling K, 106–7
resistance spot welding, electrode-sticking studies, 76
stress-rupture properties, 118–19
D-43M
stress-rupture properties, 118–19
DH242
corrosion, 227–28
Duranickel
wear characteristics in room-temperature water, effect of pH on, 165
Dysprosium
fabrication by cold working, 194
Dysprosium alloys (Al–Dy–U)
phase studies, 148
Dysprosium oxide systems (Dy_2O_3–PdO)
phase studies, 184

Electrical insulators
ultrasonic testing of porcelain and steatite, 201
Electrodes
corrosion, 171
development of diffusion-block type, 171
Electroforming
Ni liquid-propellant rocket-motor injectors, 74–75
Electrolytes
corrosive properties, 171
Erbium
fabrication by cold working, 194
Erbium oxide systems (Er_2O_3–PdO)
phase studies, 184
Europium
fabrication by cold working, 194
Europium alloys (Ce–Eu)
preparation and properties, 27
Europium alloys (Eu–Ni)
phase studies, 28
preparation and properties, 26–27
Europium oxide systems (Eu_2O_3–PdO)
phase studies, 184
Extrusion
(see also specific materials extruded)
development of hydrostatic device, 71
lubricant development, 194

Fabrication
special techniques, 68–77, 134–42, 191–201, 253–59
Fatigue
NDT methods for studying, 77
Ferrite films
deposition on MgO by cathodic sputtering, 196
Fertile materials, 1–15, 81–91, 145–54, 205–17
Filters
preparation from stainless-steel powders, 195
Fission products
deposition, temperature studies, 14
Fizzium alloys (fizzium–Pu–U)
specific heat, 209
Flowmeter
design, use of ultrasonic waves in, 259
Fluid flow
measurement through pipes by ultrasonic techniques, 141
FS-85
coating with Cr–Si–Ti, 105
corrosion by boiling K, 106–7
stress-rupture properties, 118–19
Fuel elements
development for ZPPR, 148–49
temperature drop in wall of cassette type under neutron fluences with radial gradients, 12
Fuel elements (irradiated)
growth and swelling in cylindrical, 89
Fuel elements (plate type)
development of Al–Pu for the high-exposure program, 148
fabrication, 136
Fuel elements (tube type)
ultrasonic testing, 258–59
Fuel elements (UO_2) (irradiated)
fission-product gas pressures, 90
Fuel elements (UO_2)(stainless steel clad)
fabrication, 136
Fuel materials, 1–15, 81–91, 145–54, 205–17
Fuel particles (PyC coated)
preparation, 150–51
Fuel rods
fabrication of ThO_2, 151
integrity of Zircaloy-2-clad UO_2 during

emergency spray cooling, 234
Fuel slugs
fabrication of UC for HWOCR, 10
Fuel tubes
fabrication of U by extrusion, 69
Fuels
irradiation effects, 89–91
reaction with water, 88–89
Fuels (Al–Pu)
development for the Phoenix program, 148
Fuels (cermet)
growth during thermal cycling, 150
Fuels (coated particles)
coating with pyrolytic carbon, 8
coating with SiC, 7–8
Fuels (dispersion)
development, 150
Fuels (irradiated)
burnup analysis, 89
damage by fission fragments, 89
Fuels (Phoenix)
preparation, 208

Gadolinium
fabrication by cold working, 194
Gadolinium alloys (Gd–Y)
properties, 191–92
Gadolinium borides (GdB_6)
evaporative properties, 100
Gadolinium oxide systems (Gd_2O_3–PdO)
phase studies, 184
Gallium alloys (Ga–Pu)
cold treatment, effect of alpha-phase precipitation in, 149
Gases
high-temperature properties, determination by ultrasonic absorption, 259
Germanium carbides (GeC)
chemical stability in acids and oxidants, 128–29
Glass
electrolyzing techniques, 75
Glass composites (Al_2O_3–glass)
strength properties, 63
Gold
radiation effects, 13
Gold films
deposition by gas discharge, 196
Graphite
availability, directory of, 157
brazing with Fe, Mo, Nb, Ta, W, and Zr, effect of temperature on strength, 19
coating of fuel particles with, 8
compressive loading, sound emission during, 93
dimensional stability, effects of irradiation on, 19
elastic modulus, 18
electrical conductivity, effects of irradiation on, 18–19
energy of fracture, 157
fission-product release studies, 90
flaw detection, 142
formation and growth of cracks in polycrystalline, 18
hardness, effects of irradiation on, 19
mechanical properties, 220
Poisson's ratio, effect of compressive loading on, 93
reaction with Cs, K, and Rb vapor, 108, 157–58
reaction with Cs vapor, 35–36, 108
research program at Pennsylvania State University, 220
review of fibrous forms, 220
thermal conductivity, effect of irradiation on, 18–19
use as crucibles for melting and casting U, 191
Graphite (natural)
shear modulus of, effect of radiation, 157
Graphite (pyrolytic)
elastic constants of, 157
Graphite (TS-688)
Cs sorption measurements for irradiated, 220
Graphite composites (graphite–NbC)
elastic properties, 247–48
Graphite composites (graphite–NbC–TaC)
elastic properties, 247–48
electrical conductivity, effect of NbC content on, 247

H-8187
corrosion by Hg, 232
Hafnium
fatigue properties, effect of neutron irradiation on, 25–26
mechanical properties, effect of heat treatment, 223
Hafnium alloys (Cr–Hf)
corrosion in water and steam, 100
phase diagram, 223–24
Hafnium alloys (Cr–Hf–Nb)
corrosion by oxygen, 33
Hafnium alloys (Cr–Hf–Th–Y)
bend strength, effects of vacuum annealing, 46
stress-rupture properties, 123
tensile properties in Ar, 45–46
Hafnium alloys (Cu–Hf)
corrosion in water and steam, 100
Hafnium alloys (Hf–Mo)
corrosion in water and steam, 100
Hafnium alloys (Hf–Mo–Nb)
tensile properties, 47–48
Hafnium alloys (Hf–Mo–Nb–V)
tensile properties, 47–48
Hafnium alloys (Hf–Mo–Ta)
corrosion by air, 33
corrosion by $He–O_2$ mixtures, 33
Hafnium alloys (Hf–Nb)
corrosion by oxygen, 33
corrosion in water and steam, 100
tensile properties, 47–48
Hafnium alloys (Hf–Nb–Ti)
corrosion by oxygen, 33
Hafnium alloys (Hf–Nb–Ti–W)
tensile properties, 47–48
Hafnium alloys (Hf–Nb–W)
cavitation damage in H_2O, 32
corrosion by oxygen, 33
tensile properties, 47–48
Hafnium alloys (Hf–Nb–W–Zr)
tensile properties, 47–48
Hafnium alloys (Hf–Nb–V)
corrosion by oxygen, 33
tensile properties, 47–48
Hafnium alloys (Hf–Nb–Zr)
tensile properties, 47–48
Hafnium alloys (Hf–Ta)
corrosion by air, 33
corrosion by $He–O_2$ mixtures, 33
corrosion in water and steam, 100
tensile properties, 47–48
Hafnium alloys (Hf–Ta–W)
cavitation damage in H_2O, 32
Hafnium alloys (Hf–Sn)
corrosion in water and steam, 100
Hafnium alloys (Hf–V)
phase diagram, 223–24
Hafnium alloys (Fe–Hf)
corrosion in water and steam, 100
Hafnium borides (HfB_2)
hot hardness, 246–47
microbrittleness, 61–62
microhardness, 61
Hafnium carbide mixed boules (HfC–TaC)
growth parameters of, 185
Hafnium carbide systems (HfC–Mo_2C)
properties, 60
Hafnium carbide systems (HfC–TiC)
melting point and lattice parameters for, 244
Hafnium carbide systems (HfC–WC)
preparation and properties, 60
Hafnium carbides
diffusion of C in, 243
production of, patent for, 182
Hafnium carbides (HfC)
activation sintering with additions of 1.5 to 2 wt. percent Ni, 244
deposition by CVD, 256
electrical properties, 60
lattice parameter, 59
linear thermal expansion, 60
melting point, 59
microbrittleness, 61–62
microhardness, 61
structure, 243
thermal conductivity, 184
Hafnium carbohydrides
structure, 243
Hafnium dispersions (Cr–Hf–Mo–Y_2O_3)
properties, 137
Hafnium nitrides (HfN)
electrical properties, 60
Hafnium oxides
reduction to metal, 68
Hafnium systems (C–Hf–Nb–Zr)
phase diagrams, 127
Hafnium systems (C–Hf–W)
high-temperature strength, effect of composition and heat treatment on, 246–47
weldability, 76
Hall effect
use in thickness-measuring devices, 77
Hastelloy C
sliding-wear performance of couples in water, 104
sound velocity and impedance in, 141
Hastelloy N
corrosion by MSRE fuels, 37–38
mechanical properties, 41–42
properties, review for structural use in MSRE, 54–55
radiation-induced embrittlement, effect of Ti additions, 182
weldability, effect of lowering Mo content, 182
Hastelloy N (irradiated)
ductility, effect of strain rate on, 238
ductility, effect of Zr addition on, 182
mechanical properties, 41–42
stress-rupture properties, 113, 174–75
Hastelloy N (Ti modified)(irradiated)
ductility, effect of strain rate on, 238
Hastelloy X
brazing, alloy development for, 75
corrosion, 227–28
corrosion in CO_2 and $CO–CO_2$ mixtures at 800 to 900°C, 104
corrosion in gas-loop environment, 165
mechanical properties, 54
oxidation in air from 871 to 954°C, 32
oxidation in CO_2 at 800 and 1000°C, 32
sound velocity and impedance in, 141
Hastelloy X (irradiated)
corrosion by liquid Na, 168
ductility, effect of strain rate on, 238
stress-rupture properties, 174
tensile properties, 42–43, 113

Hastelloy X-280
stress-rupture properties of preheated, 124
Hastelloy X280 (irradiated)
tensile properties, effect of preirradiation thermomechanical treatments on, 174–75
Hastelloy X tubes
tensile properties, effect of sigma phase on, 123–24
Haynes 25
chemical integrity in a booster-vehicle abort environment, 228
sound velocity and impedance in, 141
stress-rupture properties, 124
Haynes 25 (irradiated)
tensile properties, 43–44
Helium
production in neutron-irradiated Be, 20
Holmium
fabrication by cold working, 194
Holmium alloys (Ho–Th)
properties, 210
Holmium oxide systems (Ho_2O_3–PdO)
phase studies, 184
HS-25
corrosion by Hg, 232
HSV 27
mechanical properties, 52
HSV 41
mechanical properties, 52
HT586 (irradiated)
tensile properties, 117
Hydrogen systems (H–Nb)
tensile and bending properties, 177
Hydrogen systems (H–U)
phase diagram, 81
Hydrogen systems (H–Zr)
phase diagram, 98
shear modulus, 97
thermal expansion and Young's modulus, 97

Illium B
sliding-wear performance of couples in water, 104
IN-100
fabrication, 254–55
IN-102
ductility, 113
Incoloy 800
compatibility with PuC–UC mixtures, 83
corrosion in CO_2 and CO–CO_2 mixtures at 800 to 900°C, 104
reaction with PuC–UC, 87
stress corrosion in boiling $MgCl_2$, 103
stress corrosion in water, effect of high stress and O_2 concentration, 104
stress-rupture behavior in contact with liquid Na, 166–67
tensile properties, 111–12
Incoloy 800 (irradiated)
burst tests on tubes, 43
corrosion by liquid Na, 168
Inconel
corrosion by NaK, 169
oxidation in CO_2 at 800 and 1000°C, 32
sliding-wear performance of couples in water, 104
Inconel 600
corrosion, 165
corrosion in CO_2 and CO–CO_2 mixtures at 800 to 900°C, 104
pressure bonding to Al–Mo–Ti–V alloy, 195
stress corrosion in water, effect of high stress and O_2 concentration, 104
Inconel 600 (irradiated)
corrosion by liquid Na, 168
tensile properties, effect of preirradiation thermomechanical treatments, 174–75
Inconel 625
brazing, 199–200
compatibility with PuC–UC mixtures, 83
corrosion in superheated steam, 104
stress corrosion in water, effect of high stress and O_2 concentration, 104
Inconel 625 (irradiated)
burst tests on tubes, 43
ductility, 113
Inconel 718
brazing, alloy development for, 75
inertia welding, 197
notch-rupture ductility, effect of grain-boundary denudation of gamma prime on, 123
pressure bonding to 321 stainless steel, 195
weldment-property studies, 197–99
Inconel 800
brazing, alloy development for, 75
Incoloy 800 (irradiated)
stress-rupture properties, 173–74
tensile properties, 336
Inconel X
sliding-wear performance of couples in water, 104
sound velocity and impedance in, 141
Inconel X (irradiated)
tensile properties, 42–43
Inconel X-750
notch-rupture ductility, effect of grain-boundary denudation of gamma prime on, 123
Insulators (electrical)
ultrasonic testing of porcelain and steatite, 201
Iridium
chemical-vapor deposition onto Mo, Nb, Ta, and W, 255–56
Iridium alloys (Ir–Nb)
mechanical properties, 177–78
Iridium alloys (Ir–Pt)
pressure bonding to Ir–Pt, 255
Iridium alloys (Ir–U)
phase diagram, 145, 147
Iridium films
deposition on Mo, 196
Iron
solubility in liquid alkali and alkaline-earth metals, 171
Iron (Ferrovac E)(irradiated)
yield strength, effect of N_2 on, 117
Iron alloys (Al–Cr–Fe–Y)
development for fuel cladding, 69
Iron alloys (Al–Cr–Fe–Y)(irradiated)
stress-rupture properties, 115
Iron alloys (Al–Fe–Nb)
oxidation, 105
Iron alloys (Cr–Fe–Ni)
stress-corrosion cracking, 103
Iron alloys (Cr–Fe–Nb)
oxidation, 105
Iron alloys (Cr–Fe–Sn–Zr)
aqueous corrosion, 164
Iron alloys (Cr–Fe–V–Zr)
mechanical properties, 52
Iron alloys (Fe–Hf)
corrosion in water and steam, 100
Iron alloys (Fe–Mn–Pu)
phase studies, 5
Iron alloys (Fe–Ni–Nb)
oxidation, 105
Iron alloys (Fe–Nb–Ti)
oxidation, 105
Iron alloys (Fe–Nb–W)
oxidation, 105
powder metallurgy, 195
Iron alloys (Fe–Nb–V)
oxidation, 105
fabrication, 191
Iron alloys (Fe–U)
effect of temperature and alloy level on tensile properties, 1–2
Iron alloys (Fe–U)(irradiated)
electrical conductivity, 216
phase compositions, 206
Iron oxides (Fe_2O_3)
Rn and Xe diffusion studies, 90
Iron systems (C–Cr–Fe–V–Zr)
creep properties, 57
Iron systems (C–Fe–Nb–V–Zr)
creep properties, 57
Iron systems (Fe–Si–U)
rod and tube rolling studies, 69

L-605
brazing, 199–200
cavitation damage in Na systems, 168
sound velocity and impedance in, 141
Lanthanides
fabrication by cold working, 194
Lanthanum
fabrication by cold working, 194
Lanthanum (liquid)
solubility of transition metals in, 171
Lanthanum carbohydrides
structure, 243
Lanthanum oxide dispersions (Cr–Mo–Ni–W–La_2O_3)
properties, 137
Lanthanum oxide systems (La_2O_3–PdO)
phase studies, 184
Lead (liquid)
reaction with H_2O, 233
Lead alloy tubes (Pb–Ta)
brazing to 304 stainless steel, 258
Lead alloys (Bi–Pb)(liquid)
cavitation effects on refractory materials, 109
Lithium alloys (Cu–Li–Mg)
reaction with H_2, 222–23
Lead alloys (Pb–Pu)
miscibility gaps, 5
Lithium alloys (Li–Zn)
reaction with H_2, 222–23
Lead alloys ($PuPb_3$)
melting point, 5
Liquid metals
(see Metals (liquid))
Liquids (opaque)
ultrasonic testing for foreign objects in, 200
Lithium (liquid)
erosive effects on refractory materials, 109
solubility of transition metals in, 171
Lithium deuteride
lattice vibrations, 98
Lithium hydride
cohesive energy, 160
H_2 migration in, activation energy for, 160
preparation of large bicrystals, 25
shielding properties, 160
Lithium rods
fabrication, 136
Lithium sulfate transducers
effects of gamma radiation on, 141
Lithium tubes
fabrication, 136
Lockalloy
properties, 159–60
Lubricants
development for extrusion processes, 194

Lucalox
brazing to Ta, 139
Lutetium
fabrication by cold working, 194
Lutetium alloys (Co–Lu–U)
mechanical properties, 205–6
Lutetium alloys (Lu–Nb–Rh–U)
mechanical properties, 205–6
Lutetium alloys (Lu–Nb–U)
mechanical properties, 205–6
Lutetium alloys (Lu–Rh–U)
mechanical properties, 205–6

Magnesia (fused)
use as crucibles for melting and casting U, 191
Magnesium
electroforming of, 138–39
Magnesium (liquid)
solubility of transition metals in, 171
Magnesium alloys
corrosion by terphenyl coolants, 36–37
Magnesium alloys (irradiated)
radiation effects, review, 172
Magnesium alloys (Al–Cr–Mg)
cavitation damage in H_2O, 32
Magnesium alloys (Al–Cu–Mg–Mn)
cavitation damage in H_2O, 32
Magnesium alloys (Al–Mg)
reaction with H_2, 222–23
Magnesium alloys (Al–Mg–Ni)
reaction with H_2, 222–23
Magnesium alloys (B–Mg)
reaction with H_2, 222–23
Magnesium alloys (Cd–Mg)
reaction with H_2, 222–23
Magnesium alloys (Cr–Mg)
reaction with H_2, 222–23
Magnesium alloys (Co–Mg)
reaction with H_2, 222–23
Magnesium alloys (Cu–Li–Mg)
reaction with H_2, 222–23
Magnesium alloys (Cu–Mg)
use in pressurized CO_2-cooled reactors, 180
Magnesium alloys (Mg–Nb)
phase diagram, 240
Magnesium alloys (Mg–V)
phase diagram, 240
Magnesium alloys (Mg–Zr)
creep strength in air and dry CO_2, 179–80
stress-rupture properties, 56–57
Magnesium compacts (Mg–MgO)
mechanical properties at high temperatures, 195
Magnesium compacts (Mg–Zr)
mechanical properties at high temperatures, 195
Magnesium oxide compacts (Mg–MgO)
mechanical properties at high temperatures, 195
Magnesium oxide dispersions (Cr–Mo–Ni–W–MgO)
properties, 137
Magnesium oxide powder (MgO)
fabrication and properties of isostatically pressed, 138
Magnesium oxides (MgO)
coating with ferrite films by cathodic sputtering, 196
high-temperature creep of, 249
mechanical properties, 183–84
radiation damage, 160
Magnesium systems (Mg–Si)
reaction with H_2, 222–23
Magnox
push–pull cyclic-strain fatigue tests, 242
Magnox ZR-55
creep strength in air and dry CO_2, 179–80
Manganese
solubility in liquid alkali and alkaline-earth metals, 171
Manganese alloys (Al–Cu–Mg–Mn)
cavitation damage in H_2O, 32
Manganese alloys (Cu–Mn)
use in pressurized CO_2-cooled reactors, 180
Manganese alloys (Fe–Mn–Pu)
phase studies, 5
Manganese silicides (Mn_5Si_3)
structure, 243
Manganese silicides ($Mn_{11}Si_{19}$)
structure, 243
MAR-M-200
fabrication, 254–55
Mercury
cavitation effects on refractory materials, 109
Metal oxide dispersions
development, 72–73
Metal powders
pressing and sintering, 194–95
production patent, 254
vibratory compaction, book on, 194
Metal spheres
preparation of 10 mm, 69
Metals
fabrication by extrusion, 192
growth of gas bubbles in irradiated, 215–16
melting by electric arc, solidification studies, 192
reaction with H_2O during loss-of-coolant accident, 233–34
Metals (liquid)
cavitation in, 232
embrittlement of solid metals in, review on, 171–72
solubility of refractory metals in, method for estimating, 108
solubility of transition metals in, review on, 171
Missile nose tips
fabrication by shear-spin process, 193
Moderator materials, 18–25, 93–100, 157–62, 220–24
Molybdenum
brazing, alloy development for, 75
C diffusion in, 57
chemical-vapor deposition onto Mo, Nb, Ta, and W, 255–56
coating by CVD, 255–56
coating of rods with Nimonic 90, 50
combustion in O_2, 105
compatibility with UC, 10
corrosion by Bi, Pb, and Sn at 1000°C, 107–8
corrosion in fused CaF_2–LiF, 33
corrosion in fused LiF, 33
corrosion in He, 33
corrosion by inorganic acids, 228
corrosion in liquid Li, 35
corrosion in oxygen, 32–33
deposition of single-crystal films, 256
diffusion of Na and K in, 35
diffusion of W in, 242
electron-beam melting and drop casting, 134
extrusion, bibliography on, 192
extrusion with volatile-oxide bearing surface, 194
H trapping in, 58
N_2 permeability, diffusion, and solution in, 127
plating with thin Ir films, 196
preparation by electron-beam melting and drop casting, 68
pressure bonding to Mo, 255
pressure bonding to Re, 255
pressure bonding to Ti, 255
pressure bonding to W, 255
properties of polycrystalline, 49
purification by electron-beam zone melting, 134–35
reaction with Mo_2B_5, TaB_2, TiB_2, and ZrB_2, 184
single crystals, preparation by electron-beam melting, 68
solubility in liquid alkali and alkaline-earth metals, 171
sound velocity and impedance in, 141
structural state, effect of impurities on, 48–49
vacuum extrusion, 193
Molybdenum (irradiated)
creep–rupture properties of polycrystalline, 116–17
defect analysis, 117
Molybdenum alloy ingots (Mo–Nb)
vacuum extrusion, 193–94
Molybdenum alloy powders (Mo–W)
sintering, 137
Molybdenum alloy rods (Mo–Nb)
vacuum extrusion, 193–94
Molybdenum alloy tubing (Mo–Nb)
vacuum extrusion, 193–94
Molybdenum alloy tubing (Mo–W)
fabrication by extrusion, 254
Molybdenum alloys
brazing, alloy development for, 75
extrusion, bibliography on, 192
preparation by electron-beam melting and drop casting, 68
Molybdenum alloys (Al–Mo–Ti)
pressure bonding to 321 stainless steel, 195
pressure bonding to 2219 Al alloys, 195
Molybdenum alloys (Al–Mo–Ti–V)
diffusion bonding, 76
diffusion welding of sheets, 258
explosive welding, 140
laser-beam welding of thin sheets, 258
pressure bonding to Inconel 600, 195
Molybdenum alloys (Hf–Mo)
corrosion in water and steam, 100
Molybdenum alloys (Hf–Mo–Nb)
tensile properties, 47–48
Molybdenum alloys (Hf–Mo–Nb–V)
tensile properties, 47–48
Molybdenum alloys (Hf–Mo–Ta)
corrosion by air, 33
corrosion by He–O_2 mixtures, 33
Molybdenum alloys (Mo–Nb)
mechanical properties, 177–78
Molybdenum alloys (Mo–Nb–U)
studies, 81
Molybdenum alloys (Mo–Os)
use as brazing alloys for W, 75
Molybdenum alloys (Mo–Pu–U)
casting, machinability, and thermal expansion, 83
Molybdenum alloys (Mo–Re)
microcracks, 119
pressure bonding to Mo–Re, 255
tube production by extrusion, 72
Molybdenum alloys (Mo–Re–W)
corrosion in hot H_3PO_4, 171
evaluation for use as high-temperature nuclear reactor components, 240
properties of CVD coatings, 74
tube production by mandrel drawing, 72
use as brazing alloys for W, 75
Molybdenum alloys (Mo–Sn–U)(irradiated)

swelling, 206–7
Molybdenum alloys (Mo–Ti)
cavitation damage in H_2O, 32
stress–rupture properties, 118–19
Molybdenum alloys (Mo–Ti–Zr)
phase diagram, 50
Molybdenum alloys (Mo–W)
corrosion by Bi, Pb, and Sn at 1000°C, 107–8
Molybdenum alloys (Mo–TZM)
corrosion in oxygen, 32
fabrication into hemispherical shape by shear-spin process, 193
Molybdenum alloys (Mo–U)
fission-product release in helium and air, 11
gamma-ray shielding properties, 145
tensile properties, 145, 148
thermal conductivity, 145
time-temperature–transformation curves, 2, 4
Molybdenum alloys (Mo–U)(irradiated)
properties, 215–16
structure properties, 81
swelling, 206–7
Molybdenum alloys (Mo–U–Zr)
studies, 81
Molybdenum alloys (Mo–V)
mechanical properties, 51
Molybdenum borides
production patent, 182
Molybdenum borides (Mo_2B_2)
microhardness, 61
Molybdenum borides (Mo_2B_5)
microbrittleness, 61–62
Molybdenum button ingots
melting by plasma electron beam, 135
Molybdenum carbide systems (HfC–Mo_3C_2)
properties, 60
Molybdenum carbide systems (Mo_3C_2–NbC)
preparation and properties, 60
Molybdenum carbide system (Mo_3C_2–ZrC)
preparation and properties, 60
Molybdenum carbides
diffusion of C in, 243
strain produced by ball milling, 184–85
Molybdenum carbides (MoC)
electrical properties, 60
growth of, 243
radiation effects, 62
Molybdenum carbides (Mo_2C)
electrical properties, 60
growth of, 243
hot pressing of fine powders, density and die reactions, 245
microhardness, 61
vaporization behavior, 185
Molybdenum crystals
dislocations and jog densities as a function of shear strain and temperature, 178
Molybdenum dispersions (Cr–Hf–Mo–Y_2O_3)
properties, 137
Molybdenum dispersions (Cr–Mo–Ni–W–La_2O_3)
properties, 137
Molybdenum dispersions (Cr–Mo–Ni–W–MgO)
properties, 137
Molybdenum dispersions (Cr–Mo–Th–Y_2O_3)
properties, 137
Molybdenum dispersions (Cr–Mo–Y–Y_2O_3)
properties, 137
Molybdenum dispersions (Co–Mo–Ni–W–Al_2O_3)
properties, 137
Molybdenum dispersions (Co–Mo–Ni–W–ThO_2)
properties, 137
Molybdenum dispersions (Co–Mo–Ni–W–Y_2O_3)
properties, 137
Molybdenum dispersions (Mo–Ni–ThO_2)
stress-rupture properties, 125
Molybdenum dispersions (Mo–UN)
lattice parameters, effect of sintering temperature on, 88
Molybdenum nitride
production patent, 182
Molybdenum phosphide
production patent, 182
Molybdenum powders
pressing and sintering, 195
purification, 72
Molybdenum rods
fabrication by extrusion, 254
Molybdenum sheets
creep properties, 178
development of high-ductility, 72
hydroforming, 136
Molybdenum silicides
production patent, 182
Molybdenum silicides ($MoSi_2$–ZrB_2)
properties, 129
Molybdenum single crystals
production by the Czochralski method, 135
Molybdenum springs (irradiated)
stress relaxation, 176
Molybdenum sulfide
production patent, 182
Molybdenum systems (C–Mo)
phase studies, 127
Molybdenum systems (Co–Mo–TiC)
hot pressing of fine powders, density and die reactions, 245
Molybdenum systems (Mo–Si–U)(irradiated)
swelling, 206–7
Molybdenum systems (Mo–ZrB_2)
preparation and properties, 27
properties, 129
Molybdenum tubes
H_2 permeability, 127
Monel
sliding-wear performance of couples in water, 104
Monel 400
corrosion by water, 165
Mutimet (irradiated)
tensile properties, 43–44

Neodymium
fabrication by cold working, 194
Neodymium alloys (Nd–Pr)
properties, 191–92
Neodymium oxide systems (Nd_2O_3–PdO)
phase studies, 184
Neon
diffusion in Ag sheets, 127
Neptunium alloys (Np–Pu)
alpha–beta transformations, kinetics of, 5
Neutron radiography
development of nonreactor neutron source for, 141
Neutron television system
amplifier development, 77
Nickel
electroforming into liquid-propellant rocket-motor injectors, 74–75
electroplating on U, 74
preparation of single crystals of, 191
solubility in liquid alkali and alkaline-earth metals, 171
tensile properties, effect of B addition, 182
Nickel (molten)
fabrication of crucibles for, 245
Nickel alloys
sliding-wear performance of couples in water, 104
Nickel alloys (Al–Mg–Ni)
reaction with H_2, 222–23
Nickel alloys (Al–Ni)
reaction with H_2, 222–23
Nickel alloys (Cr–Fe–Ni)
stress–corrosion cracking, 103
Nickel alloys (Cr–Ni–P)
use as brazing alloy for Hastelloy X, 75
use as brazing alloy for Incoloy 800, 75
use as brazing alloy for Inconel 718, 75
Nickel alloys (Cu–Ni–W)
powder metallurgy, 195
Nickel alloys (Eu–Ni)
phase studies, 28
preparation and properties, 26–27
Nickel alloys (Fe–Ni–Nb)
oxidation, 105
Nickel alloys (Fe–Ni–W)
powder metallurgy, 195
Nickel alloys (irradiated)
radiation effects, review, 172
Nickel alloys (TD)
brazing, 199–200
fatigue and tensile properties, 55
Nickel alloys (Ni–Tm–U)
mechanical properties, 205–6
Nickel alloys (Ni–U–Y)
mechanical properties, 205–6
Nickel dispersions (Cr–Mo–Ni–W–La_2O_3)
properties, 137
Nickel dispersions (Cr–Mo–Ni–W–MgO)
properties, 137
Nickel dispersions (Cr–Ni–ThO_2)
creep properties, 125
Nickel dispersions (Co–Mo–Ni–W–Al_2O_3)
properties, 137
Nickel dispersions (Co–Mo–Ni–W–ThO_2)
properties, 137
Nickel dispersions (Co–Mo–Ni–W–Y_2O_3)
properties, 137
Nickel dispersions (Mo–Ni–ThO_2)
stress-rupture properties, 125
Nickel intermetallic compounds (NiAl)
preparation by the floating-zone-melting process, 135–36
Nickel springs (irradiated)
stress relaxation, 176
Nickel systems (Co–Ni–TiC–WC)
properties, 246
Nickel systems (Ni–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Nimonic 80
corrosion in CO_2 and CO–CO_2 mixtures at 800 to 900°C, 104
Nimonic 80A (irradiated)
stress relaxation, 176
Nimonic PE 16
corrosion in CO_2 and CO–CO_2 mixtures at 800 to 900°C, 104
stress relaxation, 176
Niobium
C diffusion in, 57
CO_2 and O_2 adsorption on surfaces, 105
chemical properties, review of, 239
coating by CVD, 255–56
corrosion by Bi, Pb, and Sn at 1000°C, 107–8
corrosion by boiling K, 106–7
corrosion by He, 33
corrosion by inorganic acids, 228
corrosion by liquid Na, 34–35, 168–69
creep strength, effect of C and O_2 on, 119
electron-beam melting and drop casting, 134
fabrication of porous bodies, 137

fabrication of porous bodies by plasma-arc spraying, 254
fusion weldments, effect of impurities on, 141
hardness, effect of nitride precipitation in, 178
mechanical properties, effect of N_2 on, 47–49
metallurgical properties, review of, 239
oxidation, 165–66
oxidation in low-pressure oxygen, 104–5
physical properties, review of, 239
preparation by electron-beam melting and drop casting, 68
pressure bonding to Nb, 255
pressure bonding to Re, 255
reaction with CO and CO_2, 128
reaction with Mo_2B_5, TaB_2, TiB_2, and ZrB_2, 184
stress–dislocation–strain curves, method of measuring, 177
structural state, effect of impurities on, 48–49
tensile properties, 47–48, 238
tensile properties, effect of N_2 on, 47, 49
vacuum extrusion, 193
weldment-property studies, 198–99
Niobium (irradiated)
damage mechanism, 177
tensile properties, 176, 238
Niobium (Zn coated)
oxidation, 166
Niobium alloy ingots (Mo–Nb)
vacuum extrusion, 193–94
Niobium alloy rods (Mo–Nb)
vacuum extrusion, 193–94
Niobium alloy tubes (Nb–Zr)
stress-fracture properties, 122
Niobium alloy tubing (Mo–Nb)
vacuum extrusion, 193–94
Niobium alloys
coatings for, 105
nonelectric plating with Ti from chloride and fluoride baths, 138
preparation by electron-beam melting and drop casting, 68
Niobium alloys (Al–Fe–Nb)
oxidation, 105
Niobium alloys (Cr–Hf–Nb)
corrosion by oxygen, 33
Niobium alloys (Cr–Fe–Nb)
oxidation, 105
Niobium alloys (Cr–Nb)
mechanical properties, 177–78
Niobium alloys (Cr–Nb–Zr)
hardening characteristics, 180–81
Niobium alloys (Hf–Mo–Nb)
tensile properties, 47–48
Niobium alloys (Hf–Mo–Nb–V)
tensile properties, 47–48
Niobium alloys (Hf–Nb)
corrosion by oxygen, 33
corrosion in water and steam, 100
tensile properties, 47–48
Niobium alloys (Hf–Nb–Ti)
corrosion in oxygen, 33
Niobium alloys (Hf–Nb–Ti–W)
tensile properties, 47–48
Niobium alloys (Hf–Nb–W)
cavitation damage in H_2O, 32
corrosion by oxygen, 33
tensile properties, 47–48
Niobium alloys (Hf–Nb–W–Zr)
tensile properties, 47–48
Niobium alloys (Hf–Nb–V)
corrosion by oxygen, 33
tensile properties, 47–48
Niobium alloys (Hf–Nb–Zr)
tensile properties, 47–48
Niobium alloys (Ir–Nb)
mechanical properties, 177–78
Niobium alloys (Fe–Ni–Nb)
oxidation, 105
Niobium alloys (Fe–Nb–Ti)
oxidation, 105
Niobium alloys (Fe–Nb–W)
oxidation, 105
Niobium alloys (Fe–Nb–V)
oxidation, 105
Niobium alloys (Lu–Nb–Rh–U)
mechanical properties, 205–6
Niobium alloys (Lu–Nb–U)
mechanical properties, 205–6
Niobium alloys (Mg–Nb)
phase diagram, 240
Niobium alloys (Mo–Nb)
mechanical properties, 177–78
Niobium alloys (Mo–Nb–U)
studies, 81
Niobium alloys (Nb–Pd)
mechanical properties, 177–78
Niobium alloys (Nb–Re)
mechanical properties, 177–78
Niobium alloys (Nb–Ta)
mechanical properties, 177–78
mechanical properties and recrystallization, effects of Mo, Re, Ti, V, and Zr additives on, 119
Niobium alloys (Nb–Ta–V)
use as brazing alloys for W, 76
Niobium alloys (Nb–Ti)
mechanical properties, 177–78
Niobium alloys (Nb–W)
mechanical properties, 177–78
Niobium alloys (Nb–U)
tensile properties, 2, 4–5
Niobium alloys (Nb–U–Zr)
delayed cracking under constant load, 207–8
Niobium alloys (Nb–V)
mechanical properties, 51
pressure bonding to Nb–V, 255
properties, effect of Nb content on, 166
tensile properties, 47–48
Niobium alloys (Nb–Zircaloy)
corrosion in steam and water, 164
Niobium alloys (Nb–Zr)
cavitation damage in H_2O, 32
corrosion by boiling K, 106–7
corrosion by liquid Li, 107, 170–71
corrosion by liquid Na, 168
corrosion by steam, effects of pressure, 30
diffusion bonding to steels, 257
electron-beam melting and drop casting, 134
erosion by liquid Li, 109
evaluation for LMFBR fuel-cladding material, 240
hardness, effect of nitride precipitation in, 178
H_2 solubility in, 161–62
in-pile creep tests, 172
mechanical properties, 177–78
mechanical properties, effect of N_2 on, 47–49
oxidation, 164
strength test on tubes, 53
stress–rupture properties, 118–19
tensile properties, 47–48, 238
tensile properties, effect of O_2 contamination, 177
tensile properties, effect of solution heat-treatment temperature, 122
Niobium alloys (Nb–Zr)(irradiated)
tensile properties, 238
Niobium alloys (Nb–U–Zr)
mechanical properties, 82
Niobium bicrystals
preparation by the arc-zone technique, 253
Niobium borides
production patent, 182
Niobium borides (NbB_2)
hot pressing of fine powders, density and die reactions, 245
microbrittleness, 61–62
microhardness, 61
Niobium carbide composites (C–NbC)
mechanical properties, 62–63
Niobium carbide composites (graphite–NbC)
elastic properties, 247–48
electrical conductivity, effect of NbC content on, 247
Niobium carbide composites (graphite–NbC–TaC)
elastic properties, 247–48
Niobium carbide (NbC) powders
characterization of, 182–83
Niobium carbide systems (C–NbC)
electrical conductivity, effect of C content on, 243–44
Niobium carbide systems (Co–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Niobium carbide systems (Co–NbC–WC)
properties, 246
Niobium carbide systems (Mo_2C_2–NbC)
preparation and properties, 60
Niobium carbide systems (Ni–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Niobium carbide systems (NbC–WC)
density, electrical conductivity, and microhardness, 129
Niobium carbide systems (NbC–UC–ZrC)
melting point and lattice parameters for, 244
Niobium carbides
production of, patent for, 182
strain produced by ball milling, 184–85
Niobium carbides (Co–NbC–WC)
oxidation, 127–28
Niobium carbides (NbC)
corrosion in He and Ar containing N_2, O_2, and H_2O, 244
corrosion by liquid Li, 171
ductile–brittle temperature, 60–61
electrical properties, 60, 184
fabrication, 130
hot hardness, 246–47
hot pressing of fine powders, density and die reactions, 245
lattice parameter, 59
linear thermal expansion, 60
melting point, 59
microbrittleness, 61–62
microhardness, 61
reaction with CO and CO_2, 128
slip-casting parts from, 129–30
spin casting, 191
thermal conductivity, 184
thermal expansion, 129
Niobium carbides (Nb_2C)
crystal structure, 62
structure, 185
Niobium cermets (Al_2O_3–Nb)
preparation by the floating-zone-melting process, 135–36
Niobium nitride
production patent, 182
Niobium nitride (NbN)(irradiated)
swelling, 183
Niobium oxide systems (Cr_2O_3–Nb_2O_3)
phase studies, 63
Niobium oxides (NbO)
reaction with CO and CO_2, 128

Niobium phosphide
production patent, 182
Niobium powders
pressing and sintering, 195
Niobium silicide
production patent, 182
Niobium sulfide
production patent, 182
Niobium single crystals
production by the Czochralski method, 135
Niobium systems (C–Hf–Nb–Zr)
phase diagrams, 127
Niobium systems (C–Fe–Nb–V–Zr)
creep properties, 57
Niobium systems (C–Nb)
arc melting and spin casting into bend-rupture specimens, 253
Niobium systems (C–Nb–Zr)
phase studies, 59–60
Niobium systems (H–Nb)
tensile and bending properties, 177
Niobium systems (Nb–N)
degassing, reactions during, 136
Niobium systems (Nb–O)
degassing, reactions during, 136
Niobium systems (Nb–Si)
use as brazing material for refractory metals, 75
Niobium systems (Nb–TiC)
cavitation damage in liquid K, 232–33
Nitrogen systems (C–N–O–U)
phase studies, 151
Nitrogen systems (C–N–U)
phase diagram, 151–52, 212
Nitrogen systems (Pu–N)
phase behavior and thermodynamic properties of, 149
Nondestructive testing, 77, 141–42, 200–1, 258–59
Nuclear poisons, 25–28, 100, 223–24

Osmium alloys (Mo–Os)
use as brazing alloys for W, 75
Osmium alloys (Os–Re–W)
powder metallurgy, 195
Osmium alloys (Os–W)
use as brazing alloys for W, 75
Oxygen systems (C–N–O–U)
phase studies, 151
Oxygen systems (O–Pu)
thermodynamics, 209
Oxygen systems (O–Pu–U)
thermodynamics, 209

Palladium alloys (Nb–Pd)
mechanical properties, 177–78
Palladium oxide systems (Dy_2O_3–PdO)
phase studies, 184
Palladium oxide systems (Er_2O_3–PdO)
phase studies, 184
Palladium oxide systems (Eu_2O_3–PdO)
phase studies, 184
Palladium oxide systems (Gd_2O_3–PdO)
phase studies, 184
Palladium oxide systems (HO_2O_3–PdO)
phase studies, 184
Palladium oxide systems (La_2O_3–PdO)
phase studies, 184
Palladium oxide systems (Nd_2O_3–PdO)
phase studies, 184
Palladium oxide systems (PdO–Sm_2O_3)
phase studies, 184
Palladium oxide systems (PdO–Tm_2O_3)
phase studies, 184
Palladium oxide systems (PdO–Yb_2O_3)
phase studies, 184
Palladium oxide systems (PdO–Y_2O_3)
phase studies, 184
PH-2
corrosion by liquid Li, 170
PH-3
corrosion by liquid Li, 170
PH-5
corrosion by liquid Li, 170
PH-6
corrosion by liquid Li, 170
Phoenix program, 148, 207
Phosphorus alloys (Cr–Ni–P)
use as brazing alloy for Hastelloy X, 75
use as brazing alloy for Incoloy 800, 75
use as brazing alloy for Inconel 718, 75
Pipes
flaw detection by acoustic-emission methods, 77
fluid-flow measurement by ultrasonic techniques, 141
Plasma-arc welding
evaluation for thin-sheet alloys, 77
Plating
electric, 74–75, 138–39, 257
nonelectric, 74–75, 138, 196–97, 255–57
Platinum (irradiated)
damage mechanism, 177
yield strength, 117
Platinum alloys (Cu–Pt)
use in pressurized CO_2-cooled reactors, 180
Platinum alloys (Ir–Pt)
pressure bonding to Ir–Pt, 255
Plutonium
analysis for trace amounts of Zr, 82
casting into rods, 253
degreasing and machining, use of perchloroethylene in, 83
electrorefining, 208
fabrication, handbook for, 191
preparation from PuO_2, 207
purification by fluoride-volatility technique, 208
self-irradiation damage, 11–12
solubility in Fe, 148
thermal conductivity at low temperatures, 6
use as reactor fuel, symposium on, 210
Plutonium (liquid)
solubility of C, Mo, Nb, Tm, Re, Ta, W, and Zr in, 207–8
solubility of Zr in, 82
Plutonium alloys
fabrication of, handbook for, 191
fission-gas venting to Na, 82–83
phase studies, 5
Plutonium alloys (Al–Pu)
development for the high-exposure program, 148
development for the Phoenix program, 148
fabrication, 191
Plutonium alloys (Be–Pu)
production, 148
Plutonium alloys (fizzium–Pu–U)
specific heat, 209
Plutonium alloys (Ga–Pu)
cold treatment, effect of alpha-phase precipitation in, 149
grain growth under strain, 5–6
Plutonium alloys (Fe–Pu)
fabrication, 191
Plutonium alloys (Pb–Pu)
miscibility gaps, 5
Plutonium alloys (Mo–Pu–U)
casting, machinability, and thermal expansion, 83
Plutonium alloys (Np–Pu)
alpha–beta transformations, kinetics of, 5
Plutonium alloys ($PuPb_2$)
formation, 5
Plutonium alloys ($PuPb_3$)
melting point, 5
Plutonium alloys (Pu–Th)
phase diagrams, 150
Plutonium alloys (Pu–Ti)
alpha–beta transformations, kinetics of, 5
Plutonium alloys (Pu–Ti–U)
specific heat, 209
Plutonium alloys (Pu–U)
specific heat, 209
Plutonium alloys (Pu–U–Zr)
container materials for alloying and casting of, 134
ductility of, effect of temperature on, 149
evaluation as fast reactor fuels, 209
irradiation studies, 149
melting and casting evaluation of crucible materials for, 82
phase diagram, 82
phase studies, 209
specific heat, 209
Plutonium boride
production patent, 182
Plutonium carbide systems (PuC–UC)
compatibility with various cladding materials, 83
reaction with 310 stainless steel, 87
reaction with Incoloy 800, 87
Plutonium carbide systems (PuC–UC) (irradiated)
swelling, 83–84
Plutonium carbide systems (C–Pu_2C_3)
vapor composition, 209
Plutonium carbide systems ((Pu,U)C)
phase studies, 152
thermal diffusivity of, 149
Plutonium carbides (PuC)
preparation of pellets, 209
thermal diffusivity of, 149
Plutonium carbides (Pu_2C_3)
lattice parameter, effects of self-irradiation damage, 152
Plutonium isotopes (^{241}Pu)
production, 83
Plutonium nitrides
production patent, 182
Plutonium nitrides (PuN)
energy of formation, 152
preparation, 83
Plutonium nitrides ((U,Pu)N)
burnup, swelling studies during, 209–10
compatibility with stainless steels, 6–7
evaluation as fuel for the LMFBR, 6
literature survey on sodium bonded, 6
plutonium volatilization, 6–7
thermal conductivity, 6
thermal stability, 6
Plutonium oxide particles (PuO_2)
coating with PyC, 86, 151
Plutonium oxide systems (PuO_2–UO_2)
solid–liquid phase diagram, 6
Plutonium oxide systems (U–Pu–O)
phase diagram, 84–85
Plutonium oxides
melting, 134
Plutonium oxides (PuO_2)
crystallite size, effect of heat treatment on, 6
evaporative behavior, 84
heat-capacity measurements, 84
lattice constant, effect of heat treatment on, 6
melting point, 6, 209–10
particle-size distribution, effect of heat treatment on, 6

reaction with Na, 231
specific surface area, effect of heat treatment on, 6
thermal conductivity, 85
Plutonium oxides ($(Pu,U)O_2$)
homogeneity, measurement by alpha autoradiography, 149–50
thermal conductivity, 149–50
Plutonium phosphide
production patent, 182
Plutonium silicide
production patent, 182
Plutonium sulfide
production patent, 182
Plutonium systems (N–P)
phase behavior and thermodynamic properties of, 149
Plutonium systems (O–Pu)
thermodynamics, 209
Plutonium systems (O–Pu–U)
thermodynamics, 209
Potassium
reaction with graphite, 157
Potassium vapor
reaction with graphite, threshold pressures for, 108
Powder metallurgy, 71–73, 96, 136–37, 194–95, 254–65
particle compaction, literature survey on, 72
use of ultrasonic vibrations in, 71–72
Praseodymium
fabrication by cold working, 194
Praseodymium alloys (Nd–Pr)
properties, 191–92
Praseodymium alloys (Pr–Th)
phase diagrams, 7
Pressure vessels (irradiated)
nil-ductility temperature of, factors affecting, 175
Promethium
fabrication by cold working, 194
Promethium oxide (Pm_2O_3)
fabrication by hot pressing, 28
Pyrolytic carbon
coating of fuel particles with, 8, 86

"R" zirconia
strength, effects of surface treatment on, 248
R418
casting, machinability, and thermal expansion, 83
R420
casting, machinability, and thermal expansion, 83
Radiography, 201
nonreactor neutron source for, 259
Reactors (Civil Advanced Gas Reactor)
fuel-cladding development, 69
Reactors (HFIR)
Al composite control plates, welding of, 197
Reactors (LMFBR)
fuels, evaluation of cladding materials for, 239–40
Reactors (TREAT)
fuel-meltdown experiments, 110–11
Reactors (TRIGA)
dissociation pressures of hydrided fuel, 98
Reactors (ZPPR)
fuel-element development, 148–49
Refractory compounds
fabrication into crucibles by hot pressing, 245
Refractory alloys (irradiated)
radiation effects, review, 172
Refractory metal carbides
sintering process, patent for, 182
Refractory metals
brazing, 139
coatings for, 105–6
solubility in liquid metals, method for estimating, 108–9
René 41
brazed joints, stress-rupture properties of, 200–1
laser-beam welding of thin sheets, 258
René 41 (irradiated)
relaxation of springs, 43–44
Rhenium
C diffusion in, 57–58
corrosion by oxygen, 32
deposition, 256
pressure bonding to Mo, 255
pressure bonding to Nb, 255
pressure bonding to Re, 255
pressure bonding to W, 255
pressure bonding to Zr, 255
Rhenium alloy powders (Re–W)
sintering, 137
Rhenium alloy tubes (Re–W)
fabrication by extrusion, 254
Rhenium alloys (Mo–Re)
microcracks, 119
pressure bonding to W, 255
tube production by extrusion, 72
Rhenium alloys (Mo–Re–W)
corrosion in hot H_3PO_4, 171
evaluation for use as high-temperature nuclear reactor components, 240
properties of CVD coatings, 74
tube production by mandrel drawing, 72
use as brazing alloys for W, 75
Rhenium alloys (Nb–Re)
mechanical properties, 177–78
Rhenium alloys (Os–Re–W)
powder metallurgy, 195
Rhenium alloys (Re–Ti)
corrosion in oxygen, 32
Rhenium alloys (Re–W)
chemical vapor deposition, 138
corrosion in hot H_3PO_4, 171
corrosion in liquid Li, 35
dislocation structure of slightly strained, 119
electron-beam melting and drop casting, 134
pressure bonding to Re–W, 255
pressure bonding to W, 255
production by arc-melting and powder-metallurgy methods, properties of, 192
production of porous, patent for, 254
shear modulus, 179
stress-rupture properties, 118–19
structure of CVD, 74
tube production by CVD, 74
tube production by mandrel drawing, 72
weldability, 76
Rhenium alloys (Re–U)
phase diagram, 145, 147
Rhodium alloys (Lu–Nb–Rh–U)
mechanical properties, 205–6
Rhodium alloys (Lu–Rh–U)
mechanical properties, 205–6
Rhodium alloys (Rh–U–Y)
mechanical properties, 205–6
Rhodium alloys (Tm–Rh–U)
mechanical properties, 205–6
Rubidium
reaction with graphite, 157
Rubidium (liquid)
solubility of transition metals in, 171
Rubidium vapor
reaction with graphite, threshold pressures for, 108
Ruthenium alloys (Ru–U)
phase diagram, 145, 147

S-1 (HT516)(irradiated)
tensile properties, 117
Samarium
fabrication by cold working, 194
Samarium alloys (Al–Sm–U)
phase studies, 148
Samarium alloys (Gd–Sm)
properties, 191–92
Samarium alloys (Sm–Y)
properties, 191–92
Samarium borides (SmB_6)
evaporative properties, 100
Samarium oxide systems (PdO–Sm_2O_3)
phase studies, 184
Samarium oxide systems (Sm_2O_3–UO_2)
U oxidation, 100
Samarium oxide systems (Sm_2O_3–UO_2–UO_3)
phase studies, 100
Samarium sesquioxide (Sm_2O_3)
fabrication by hot pressing, 28
Sapphire
brazing to Ta, 139
strength, effects of surface treatment on, 248
SICROMO-9M
corrosion by Hg, 232
Silica
strength, effects of surface treatment on, 248
Silicon boride
production patent, 182
Silicon carbide coatings (SiC)
deposition, 86
Silicon carbide films
deposition, 197
Silicon carbide systems (AlN–SiC)
hot pressing of fine powders, density and die reactions, 245
Silicon carbide systems (SiC–Si_3N_4)
hot pressing of fine powders, density and die reactions, 245
Silicon carbides
coating of fuel particles with, 7–8
production of, patent for, 182
Silicon nitride
production patent, 182
Silicon nitride systems (SiC–Si_3N_4)
hot pressing of fine powders, density and die reactions, 245
Silicon nitrides (Si_3N_4)
hot pressing of fine powders, density and die reactions, 245
Silicon phosphide
production patent, 182
Silicon sulfide
production patent, 182
Silicon systems (Cr–Si–Ti)
chemical-vapor deposition onto B-66, 255
Silicon systems (Fe–Si–U)
rod and tube rolling studies, 69
Silicon systems (Mg–Si)
reaction with H_2, 222–23
Silicon systems (Mo–Si–U)(irradiated)
swelling, 206–7
Silicon systems (Nb–Si)
use as brazing material for refractory metals, 75
Silicon systems (Si–U)(irradiated)
properties, 216–17
Silicon systems (Si–V)
mechanical properties, 51
Silver alloys (Be–Ag)
microyield stresses, 94–95
Silver sheets
Ne diffusion in, 127

Sodium (liquid)
solubility of Cu in, 108–9
solubility of transition metals in, 171
Sodium chloride
electrolyzing techniques, 75
Sodium vapor
reaction with graphite, threshold pressures for, 108
Stainless steel
casting, 72
coating with UO_2 by flame spraying, 8–9
corrosion in high-temperature water, 164
creep properties, effect of Ti additions on, 54
fission-product release studies, 90
mechanical properties, effect of thermal and mechanical treatments on, 242
powder-metallurgy methods, 72
pressure bonding to Al, use of W as diffusion barriers, 137–38
pressure bonding to SAP, use of Ni–W alloy as diffusion barrier, 139
roll bonding to SAP, 139
rupture life in flowing Na, effect of thermal cycling, 231–32
Stainless steel (16/13 Cr–Ni)(irradiated)
elongation studies, effect of B content, 172–73
elongation studies, effect of C content, 173
Stainless steel (17-4 PH)
fabrication, 253
Stainless steel (17-7PH)
explosive welding, 140
Stainless steel (18/10)
stress-corrosion cracking in boiling $MgCl_2$, 164
Stainless steel (18/12)
oxidation in steam, 31
Stainless steel (304)
compatibility with PuC–UC mixtures, 83
corrosion by deoxygenated H_2O, 227
corrosion by liquid Na, 33–35, 106, 166–68 54–55, 122
corrosion by liquid NaK, 33–34
corrosion by Na–UO_2, Na–UC, or Na–UN pastes, 106
fatigue life, effect of strain rate on, 54–55, 122
fracture, effect of carbide particles on, 54
in-pile creep tests, 39
mechanical properties, 52
oxidation in steam effects of work hardening on, 103
reaction with $(U,Pu)O_2$ in presence of Na, 231
resistance spot welding of thin sheets, 258
stress corrosion in boiling $MgCl_2$, 103
stress-corrosion cracking in $FeCl_2$ solution, effects of irradiation, 103
stress–corrosion cracking in water, 31
stress corrosion in water, effect of high stress and O_2 concentration, 104
tensile properties in Ar, 45–46
transition joining to SAP-895, use of barrier materials for diffusion inhibition, 125–26
ultrasonic testing for radiation damage, 200
wear characteristics in room-temperature water, effect of pH on, 165
yield strength, uniform elongation, 111–12
Stainless steel (304)(irradiated)
embrittlement, effect of grain size on, 115
He embrittlement, 236–37
mechanical properties, 38–41, 113, 336
microstructure, correlation with yield strength, 114–15
stress–corrosion cracking in water, 31
stress–rupture properties, effect of H_2 content, 173–74
tensile properties, 111–12, 172
uniform elongation, 111–12
yield strength, 111–12
Stainless steel (304L)
brazing to Al, 257–58
brazing to Pb–Ta alloy tubes, 258
oxidation in steam and dry air, 102–3, 109–10, 227
sound velocity and impedance in, 141
stress corrosion in water, effect of high stress and O_2 concentration, 104
Stainless steel (304L)(irradiated)
creep behavior, 238
Stainless steel (310)
reaction with PuC–UC, 87
stress corrosion in boiling $MgCl_2$, 103
Stainless steel (316)
cavitation damage in liquid K, 232–33
cavitation damage in H_2O, 32
cavitation damage in Na systems, 168
chemical integrity in a booster-vehicle abort environment, 228
compatibility with PuC–UC mixtures, 83
corrosion in liquid NaK, 33–34
corrosion in liquid Na, 166–68
corrosion in K vapor, 169
corrosion in KCl, 171
corrosion in KCl–NaCl, 171
mechanical properties, 52
reaction with $(U,Pu)O_2$ in presence of Na, 231
tensile properties in Ar, 45–46
Stainless steel (316)(irradiated)
stress–corrosion cracking, 115
stress–corrosion cracking in boiling $MgCl_2$, 31–32
stress relaxation, 176
tensile properties, 111–12, 172–73, 336
tensile properties, effect of irradiation temperature on, 237
void sizes and volume changes in, 114
Stainless steel (321)
laser-beam welding of thin sheets, 258
pressure bonding to 2219 Al alloy, 195
pressure bonding to 7106 Al alloy, 195
pressure bonding to Al–Mo–Ti alloy, 195
pressure bonding to Inconel 718, 195
reaction with $(U,Pu)O_2$ in presence of Na, 231
welding by chemical-vapor deposition, 73
Stainless steel (321)(irradiated)
tensile properties, 111–12
Stainless steel (347)
corrosion, 165
explosive welding, 140
pressure bonding to SAP-895, 73
reaction with $(U,Pu)O_2$ in presence of Na, 231
stress corrosion in water, effect of high stress and O_2 concentration, 104
Stainless steel (347)(chromium carbide coated)
corrosion by steam, 228
Stainless steel (347)(irradiated)
mechanical properties, 40–41, 336
Stainless steel (348)
corrosion in liquid NaK, 33–34
fatigue life, effect of strain rate on, 54–55, 122
stress–corrosion cracking in $FeCl_2$ solution, effects of irradiation, 103
stress–corrosion cracking in water, 31
tensile properties, 172
Stainless steel (348)(irradiated)
stress–corrosion cracking in water, 31
Stainless steel (410)
corrosion by steam, 228
Stainless steel (410)(Cr plated)
corrosion, 165
Stainless steel (410)(irradiated)
tensile properties, 115
Stainless steel (416)
sound velocity and impedance in, 141
wear characteristics in room-temperature water, effect of pH on, 165
Stainless steel (430)
corrosion by Pb–Bi eutectic, use of Zr as inhibitor, 36
Stainless steel (440-C)
wear characteristics in room-temperature water, effect of pH on, 165
Stainless steel (A-286)
creep rate, effect of Ni_3Ti particle size on, 181
fabrication, 253
Stainless steel (austenitic)
sliding-wear performance of couples in water, 104
use as construction materials in thermally regenerative galvanic cells, 232
use as control-rod material with Dy, Eu, Gd, and Sm additions, 26
Stainless steel (C–Cr–Ni–Si–W)
oxidation in steam, 103
Stainless steel (Cr–Ni)
corrosion in steam, 103
Stainless steel (Cr–Ni)(irradiated)
tensile properties, 113–14
Stainless steel (Cr–Ni–Nb-stabilized)
corrosion by CO_2, dimensional changes in, 227
corrosion by CO_2, effects of irradiation on, 227
Stainless steel (En58e)
fabrication into porous filters, 195
Stainless steel (irradiated)
properties, 172
Stainless steel (Fe–Cr–Ni)
corrosion in boiling HNO_3–Cr^{+6} solutions, 31
Stainless steel (Fe–Ni)
irradiation damage, mechanism of, 45
Stainless steel (martensitic)
sliding-wear performance of couples in water, 104
Stainless steel (PH13-8Mo)
weldment-property studies, 197–98
Stainless steel (PH15-7Mo)
fabrication, 253
Stainless steel (TRIP)
properties, 122–23
Stainless steel (X8CrNiMoVNb1613)
stress–rupture behavior in contact with liquid Na, 166–67
Stainless steel alloys (B–SS)
mechanical properties, effect of irradiation on, 25–26
Stainless steel cermets (stainless steel–UO_2)
fabrication by hot isostatic pressing, 73
Stainless steel cylinders
coating with U by the trioide method, 196
Stainless steel dispersions (stainless steel–Al_2O_3)
radiation-induced embrittlement, 181
Stainless steel dispersions (stainless steel–TiO_2)
radiation-induced embrittlement, 181
Stainless steel dispersions (stainless steel–UO_2)
use of porous UO_2 to reduce swelling, 210

Stainless steel dispersions (stainless steel–ZrO_2)
radiation-induced embrittlement, 181
Stainless steel (304L) powders
fabrication into filters, 195
Stainless steel (En58e) powders
fabrication into filters, 195
Stainless steel tubes
bonding by magnetic-pulse technique, 197
Stainless steel (304) tubes
stress-fracture properties, effect of surface defects on, 122
Stauffer 880 (irradiated)
relaxation of springs, 43–44
Steel
melting in an electron-beam furnace, 253
radiation effects, 172
ultrasonic testing, 259
Steel (A-302B)
ultrasonic testing for radiation damage, 200
Steel (302B)(irradiated)
tensile properties, 238
Steel (9M)
cavitation damage in liquid metals, 109
Steel (17-4 PH)
stress–corrosion cracking in H_2O, 103
Steel (4340)
drawing, vibration effects on, 70
fatigue-induced cracking, 125
Steel (A-201B)
fatigue-induced cracking, 125
Steel (A-212B)(irradiated)
embrittlement, 116
tensile properties, 238
Steel (A-286)(irradiated)
helium-bubble distribution in, 114
Steel (A-302B)
fatigue-induced cracking, 125
Steel (A350-LF1 modified)(irradiated)
tensile properties, 238
Steel (A350-LF3)(irradiated)
tensile properties, 238
Steel (A353)(irradiated)
tensile properties, 238
Steel (A-517F)
fatigue-induced cracking, 125
Steel (carbon)(X-7)
corrosion by Santowax OM, 37
Steel (Cr–Mo)
stress-rupture strength, 56
Steel (ferritic)
grain growth during annealing, effect of Ce, La, Nd, and Pr additions, 56
Steel (Fortiweld)(irradiated)
DBTT, effect of ^{10}B on, 44
Steel (HP)
welding, 139
Steel (HY-80)(irradiated)
tensile properties, 238
Steel (HY-130(T))
welding, 139
Steel (HY-180/210)
welding, 139–40
Steel (Fe–Ni)(irradiated)
DBTT, 44
Steel (irradiated)
damage mechanism, 117–18
DBTT, method of predicting, 177
Steel (low carbon)
bonding by magnetic-pulse technique, 197
Steel (maraging)(irradiated)
embrittlement, 116
Steel (mild)
mechanical properties, effect of U additions on, 242
Steel (Ni)
welding, 139
Steel (pressure vessel)
metallurgy, 56, 124–25
properties, 44
properties, NSIC review, 181
radiation-induced changes in nil-ductility temperature, factors affecting, 175
Steel (pressure vessel)(irradiated)
embrittlement, 116
tensile properties, 238
Steel (T-1)(irradiated)
tensile properties, 238
Steel ingots
vacuum-arc melting, heat transfer to water-cooled Cu crucibles, 134
Steel shot
vibratory-packing characteristics, 194
Stellite B
cavitation damage in Na systems, 168
Stellites
sliding-wear performance of couples in water, 104
Strontium oxide systems (SrO–ZrO_2)
phase studies, 63
Structural materials, 30–63, 102–30, 164–87, 226–49
SU-16
stress–rupture properties, 118–19
Sylvania A
creep properties, effect of vacuum and high temperature on, 239
stress–rupture properties, 118–19
weldability, 76
Systems for Nuclear Auxiliary Power (SNAP-23A)
testing of U–Mo alloy as gamma-ray shielding material, 145

T-111
cavitation damage in liquid metals, 109
cavitation damage in liquid K, 232–33
corrosion by boiling K, 106–7
corrosion by liquid Li, effects of O_2 contamination on, 107
creep properties, effect of vacuum and high temperature on, 239
T-111 tubes
production, 135
T-222
cavitation damage in liquid metals, 109
coating with silicides, 106, 229
coating with Ti–W alloy, 229
corrosion by liquid Li, effects of O_2 contamination on, 107
creep properties, effect of vacuum and high temperature on, 239
resistance spot welding, electrode-sticking studies, 76
stress–rupture properties, 118–19
Tantalum
brazing alloy for, 258
brazing, alloy development for, 75
brazing to sapphire and Lucalox, 139
C diffusion in, 57
CO_2 and O_2 adsorption on surfaces, 105
chemical integrity in a booster-vehicle abort environment, 228
chemical properties, review of, 239
coating by CVD, 255–56
combustion in O_2, 105
corrosion by Bi, Pb, and Sn at 1000°C, 107–8
corrosion by deionized water containing 0.45 ppm Fe, 105
corrosion by He, 33
corrosion by hot H_3PO_4, 171
corrosion by inorganic acids, 228
corrosion by Fe–Pu and Ce–Co–Pu alloys at 900, 1000, and 1100°C, 6
corrosion by liquid Li, inhibition by addition of Si or Ir, 171
corrosion by liquid K, 169
corrosion by liquid Na, 168–69
corrosion by NaCl solution, 33
corrosion by NaOH solution, 33
corrosion by H_2SO_4, 33
corrosion protection by anodizing in H_3PO_4, 165
electron-beam melting and drop casting, 134
fabrication of porous bodies, 137
fabrication of porous bodies by plasma-arc spraying, 254
H trapping in, 58
metallurgical properties, review of, 239
oxidation, 105, 165–66
physical properties, review of, 239
preparation by electron-beam melting and drop casting, 68
pressure bonding to Re, 255
pressure bonding to Ta, 255
pressure bonding to W, 255
reaction with Mo_2B_5, TaB_2, TiB_2, and ZrB_2, 184
recrystallization temperature, effect of O_2 on, 50–51
solubility in liquid alkali and alkaline-earth metals, 171
solubility in liquid Sn, 36
sound velocity and impedance in, 141
stress-rupture properties, 118–19
stress–strain curves of single crystals in compression, 178
structural state, effect of impurities on, 48–49
U diffusion in, 127
weldment-property studies, 198–99
Tantalum alloy tubes (Pb–Ta)
brazing to 304 stainless steel, 258
Tantalum alloys
brazing alloy for, 258
preparation by electron-beam melting and drop casting, 68
Tantalum alloys (Hf–Mo–Ta)
corrosion by air, 33
corrosion by He–O_2 mixtures, 33
Tantalum alloys (Hf–Ta)
corrosion by air, 33
corrosion by He–O_2 mixtures, 33
corrosion in water and steam, 100
tensile properties, 47–48
Tantalum alloys (Hf–Ta–W)
cavitation damage in H_2O, 32
Tantalum alloys (Nb–Ta)
mechanical properties, 177–78
mechanical properties and recrystallization, effects of Mo, Re, Ti, V, and Zr additives on, 119
Tantalum alloys (Nb–Ta–V)
use as brazing alloys for W, 76
Tantalum alloys (Ta–Ti–V)
use as brazing alloy for W, 76
Tantalum alloys (Ta–W)
brazing with Ti–V alloys, 140
cavitation damage in H_2O, 32
coating with Al–Mo–Sn, 106
coating with VSi_2, 105
corrosion by air, 229
corrosion in hot H_3PO_4, 171
corrosion by Fe–Pu and Ce–Co–Pu alloys at 900, 1000, and 1100°C, 6
dislocation structure of slightly strained, 119
electron-beam melting and drop casting, 134
laser-beam welding of thin sheets, 258

properties, 119
resistance spot welding, electrode sticking studies, 76
Tantalum alloys (Ta–V)
tensile properties, 47–48
Tantalum alloys (Ta–Zr)
corrosion by air, 33
corrosion by He–O_2 mixtures, 33
Tantalum borides
microhardness, 61
production patent, 182
Tantalum button ingots
melting by plasma electron beam, 135
Tantalum carbide composites (graphite–NbC–TaC)
elastic properties, 247–48
Tantalum carbide mixed boules (HfC–TaC)
growth parameters of, 185
Tantalum carbide (TaC) powders
characterization of, 182–83
Tantalum carbide systems (Co–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Tantalum carbide systems (Co–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Tantalum carbide systems (Co–TaC–WC)
hardness and transverse-rupture strength, effects of C content on, 128
Tantalum carbide systems (HfC–TiC)
melting point and lattice parameters for, 244
Tantalum carbide systems (Ni–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Tantalum carbide systems (TaC–TiC–WC)
properties of Co cemented, 243
Tantalum carbide systems (TaC–WC)
density, electrical conductivity, and microhardness, 129
preparation and properties, 60
Tantalum carbide systems (TaC–ZrC)
melting point and lattice parameters for, 244
Tantalum carbides
production of, patent for, 182
strain produced by ball milling, 184–85
Tantalum carbides (TaC)
ductile–brittle temperature, 60–61
electrical conductivity, 60, 184
erosion by liquid Li, 109
fabrication and properties of hot-pressed, 182
fracture stress, 183–84
hot hardness, 246–47
hot pressing of fine powders, density and die reactions, 245
impregnation of porous with Cu and Ag, effect on properties of, 246
lattice parameter, 59
melting point, 59
microbrittleness, 61–62
microhardness, 61
thermal conductivity, 184
thermal expansion, effect of stoichiometry on, 183
Young's modulus, 183–84
Tantalum carbides (TaC)(irradiated)
swelling, 183
Tantalum nitride
production patent, 182
Tantalum nitride (TaN)(irradiated)
swelling, 183
Tantalum oxide films
formation, 196
Tantalum phosphide
production patent, 182
Tantalum powders
pressing and sintering, 195
Tantalum silicides
production patent, 182
Tantalum silicides ($TaSi_2$)(irradiated)
swelling, 183
Tantalum sulfide
production patent, 182
Tantalum systems (Ta–N)
degassing, reactions during, 136
Tantalum systems (Ta–O)
degassing, reactions during, 136
TAZ-8B
casting, directional solidification of, 191
TD nickel
corrosion, 227–28
fatigue and tensile properties, 55
TD nickel-Cr
fabrication, 254–55
TD nickel alloys (Cr–TD nickel)
brazing, 199–200
TD nickel–high thoria
fabrication, 254–55
Technetium alloys (Tc–W)
forging of Mo encapsulated, 68
preparation by electron-beam melting and drop casting, 68
Terbium
fabrication by cold working, 194
Terbium alloys (Tb–Th)
properties, 210
Terbium borides (TbB6)
evaporative properties, 100
Testing (nondestructive), 77, 141–42, 200–1, 258–59
Thickness gages
development of Hall effect devices, 77
development of ultrasonic devices, 77
Thorium
diffusion in alpha Al_2O_3, 87
stacking-fault probability of, 210
Thorium (beta-phase)
carbon, nitrogen, and oxygen diffusion coefficients, 7
Thorium alloys (binary)
phase diagrams, 210
Thorium alloys (Cr–Hf–Th–Y)
bend strength, effects of vacuum annealing, 46
stress–rupture properties, 123
tensile properties in Ar, 45–46
Thorium alloys (Ho–Th)
properties, 210
Thorium alloys (Pu–Th)
phase diagram, 150
Thorium alloys (Pr–Th)
phase diagram, 7
Thorium alloys (Tb–Th)
properties, 210
Thorium alloys (Th–U–Zr)(Zircaloy clad)(irradiated)
behavior, 85–86
Thorium alloys and systems (C–Th)
phase diagram, 9
Thorium borides
production patent, 182
Thorium carbides
entropy, 212
production of, patent for, 182
Thorium dioxide gel
specific surface area, effects of heat treatment, 9
Thorium dispersions (Cr–Mo–Th–Y_2O_3)
properties, 137
Thorium hydride (ThH_2)
hydrogen diffusion in, activation energies for, 25
Thorium hydride (Th_4H_{15})
hydrogen diffusion in, activation energies for, 25
Thorium nitride
production patent, 182
Thorium nitride systems (ThN–UN)
phase studies, 152
Thorium nitrides (ThN)
entropy, 212
Thorium oxide dispersions (Be–ThO_2)
preparation, 220–21
Thorium oxide dispersions (Cr–Ni–ThO_2)
creep properties, 125
Thorium oxide dispersions (Co–Mo–Ni–W–ThO_2)
properties, 137
Thorium oxide dispersions (Mo–Ni–ThO_2)
stress-rupture properties, 125
Thorium oxide systems (ThO_2–W)
erosion by liquid Li, 109
Thorium oxide systems (ThO_2–UO_2)
diffusion of ^{233}Pa in, 151
preparation of aquasols of, 151
preparation of spherical particles, 9
Thorium oxide systems (ThO_2–Y_2O_3)
fabrication of tubes by slip casting, 9
Thorium oxides (ThO_2)
diffusion of ^{233}Pa in, 151
dissolution, effect of MgO addition, 87
entropy, 212
fabrication into fuel rods, 151
release of Br, Cs, and Ru after ion bombardment, 8
self-diffusion coefficients, 211
Thorium phosphide
production patent, 182
Thorium silicide
production patent, 182
Thorium sulfides (ThS)
entropy, 212
production patent, 182
Thorium systems (C–Th)
miscibility gaps, 7
Thorium systems (Th–ThP)
phase studies, 150
Thulium
fabrication by cold working, 194
Thulium alloys (Co–Tm–U)
mechanical properties, 205–6
Thulium alloys (Ni–Tm–U)
mechanical properties, 205–6
Thulium alloys (Tm–Rh–U)
mechanical properties, 205–6
Thulium alloys (Tm–U)
mechanical properties, 205–6
Thulium oxide systems (PdO–Tm_2O_3)
phase studies, 184
Tin (liquid)
solubility of Ta in, 36
Tin alloys (Ca–Sn)
reaction with H_2, 222–23
Tin alloys (Cr–Fe–Sn–Zr)
aqueous corrosion, 164
Tin alloys (Hf–Sn)
corrosion in water and steam, 100
Tin alloys (Mo–Sn–U)(irradiated)
swelling, 206–7
Tin alloys (Sn–V)
mechanical properties, 51
Tin carbides (SnC)
chemical stability in acids and oxidants, 128–29
Titanium
C diffusion in, 57
chemical-vapor deposition onto B-66, 255
chemical-vapor deposition onto Mo, Nb, Ta, and W, 255–56
corrosion by inorganic acids, 228

electron-beam melting and drop casting, 134
H trapping in, 58
nonelectric deposition on Nb alloys from chloride and fluoride baths, 138
physical-vapor deposition of, 255
preparation by electron-beam melting and drop casting, 68
pressure bonding to Mo, 255
solubility in liquid alkali and alkaline-earth metals, 171
Titanium (50A)
reaction with H_2 at low temperature, 25
Titanium alloy tubing
bonding by magnetic-pulse technique, 197
Titanium alloy wire (Ti–U)
fabrication by swaging, 253
Titanium alloys
preparation by electron-beam melting and drop casting, 68
Titanium alloys (Al–Mo–Ti)
pressure bonding to 321 stainless steel, 195
pressure bonding to 2219 Al alloy, 195
Titanium alloys (Al–Mo–Ti–V)
diffusion bonding, 76
explosive welding, 140
laser-beam welding of thin sheets, 258
pressure bonding to Inconel 600, 195
Titanium alloys (Al–Ti)
reaction with H_2, 222–23
Titanium alloys (Al–Ti–V)
diffusion bonding, 76
diffusion welding of sheets, 258
drawing, vibration effects on, 70
explosive welding, 140
inertia welding, 197
reaction with H_2 at low temperature, 25
Titanium alloys (Be–Ti)
rod production by extrusion, 221
Titanium alloys (Cr–Ti–V)
burst strength and ductility of tubing, 51
mechanical properties, 52, 239
mechanical properties, effect of heat treatment on, 239
Titanium alloys (Cr–Ti–V)(irradiated)
burst strength and ductility of tubing, 51
tangential-rupture strength of, 175–76
Titanium alloys (Cu–Ti)
reaction with H_2, 222–23
Titanium alloys (Fe–Nb–Ti)
oxidation, 105
Titanium alloys (Hf–Nb–Ti)
corrosion in oxygen, 33
Titanium alloys (Hf–Nb–Ti–W)
tensile properties, 47–48
Titanium alloys (Mo–Ti)
cavitation damage in H_2O, 32
stress-rupture properties, 118–19
Titanium alloys (Mo–Ti–Zr)
phase diagram, 50
Titanium alloys (Nb–Ti)
mechanical properties, 177–78
Titanium alloys (Nb–Ti–V)
corrosion by liquid Na, 230–31
Titanium alloys (Pu–Ti)
alpha–beta transformations, kinetics of, 5
Titanium alloys (Pu–Ti–U)
specific heat, 209
Titanium alloys (Re–Ti)
corrosion by oxygen, 32
Titanium alloys (Ta–Ti–V)
use as brazing alloy for W, 76
Titanium alloys (Ti–V)
corrosion by liquid Na, 34–35, 230
compressive strength, 224
creep properties, 57
mechanical properties, effect of heat treatment on, 239
performance as cladding material, 7
Titanium alloys (Ti–V)(irradiated)
tensile properties, 176
Titanium boride dispersions (TiB_2–ZrO_2)
compatibility, 224
Titanium borides
production patent, 182
Titanium borides (TiB_2)
electrical conductivity, 224
hot hardness, 246–47
hot pressing of fine powders, density and die reactions, 245
microbrittleness, 61–62
microhardness, 61
Titanium button ingots
melting by plasma electron beam, 135
Titanium carbide films
deposition, 197
Titanium carbide systems (Al_2O_3–Co–TiC)
hot pressing of fine powders, density and die reactions, 245
Titanium carbide systems (Co–Mo–TiC)
hot pressing of fine powders, density and die reactions, 245
Titanium carbide systems (Co–Ni–TiC–WC)
properties, 246
Titanium carbide systems (Co–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Titanium carbide systems (Co–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Titanium carbide systems (Co–TiC)
hot pressing of fine powders, density and die reactions, 245
Titanium carbide systems (Co–TiC–W)
hot pressing of fine powders, density and die reactions, 245
Titanium carbide systems (Ni–NbC–TaC–TiC)
hot pressing of fine powders, density and die reactions, 245
Titanium carbide systems (Nb–TiC)
cavitation damage in liquid K, 232–33
Titanium carbide systems (TaC–TiC–WC)
properties of Co cemented, 243
Titanium carbide systems (TiC–WC)
density, electrical conductivity, and microhardness, 129
hot pressing of fine powders, density and die reactions, 245
preparation and properties, 60
Titanium carbides
diffusion of C in, 243
production of, patent for, 182
properties at high temperatures, 184
strain produced by ball milling, 184–85
Titanium carbides (TiC)
chemical stability in acids and oxidants, 128–29
ductile–brittle temperature, 60–61
electrical properties, 60
erosion by liquid Li, 109
hot hardness, 246–47
hot pressing of fine powders, density and die reactions, 245
linear thermal expansion, 60
microbrittleness, 61–62
microhardness, 61
radiation effects, 62
structure, 243
Titanium carbides (TiC)(irradiated)
swelling, 183
Titanium carbides (TiC)(Mo modified)
hot pressing of fine powders, density and die reactions, 245
Titanium carbohydrides
structure, 243
Titanium ingots
vacuum-arc melting, heat transfer to water-cooled Cu crucibles, 134
Titanium nitrides (TiN)
electrical properties, 60
hot pressing of fine powders, density and die reactions, 245
production patent, 182
Titanium nitrides (TiN)(irradiated)
swelling, 183
Titanium oxides (TiO_2)
Rn and Xe diffusion studies, 90
Titanium phosphide
production patent, 182
Titanium powders
pressing and sintering, 195
Titanium silicides
production patent, 182
Titanium silicides ($TiSi_2$)(irradiated)
swelling, 183
Titanium silicides (Ti_5Si_3)
hot pressing of fine powders, density and die reactions, 245
Titanium springs (irradiated)
stress relaxation, 176
Titanium sulfide
production patent, 182
Titanium systems (C–Ti)
phase studies, 62
Titanium systems (Cr–Si–Ti)
chemical-vapor deposition onto B–66, 255
Tubing
brazing, use of plasma spray for surface preparation, 75
fabrication, 69, 254
production by CVD, 74
production by mandrel drawing, 72
Tungsten
book, "Tungsten and Its Compounds", 120
brazing, alloy development for, 75–76
brazing alloy for, 258
C diffusion in, 57
chemical-vapor deposition, 138
chemical-vapor deposition onto Mo, Nb, Ta, and W, 255–56
coating by CVD, 255–56
coating with perovskite, pyrochlore, and fluorite, 230
compatibility with UC, 10
corrosion by Bi, Pb, and Sn at 1000°C, 107–8
corrosion by boiling K, 106–7
corrosion by He, 33
corrosion in hot H_3PO_4, 171
corrosion by inorganic acids, 228
creep-rupture test on CVD, 73–74
deposition, 256
diffusion of N_2 in, 243
diffusion of Re in, 242
electron-beam melting and drop casting, 134
extrusion, 72
extrusion, bibliography on, 192
extrusion with volatile-oxide bearing surface, 194
fabrication, use of gas plasma in, 194
grain-boundary cavity formation under creep, study by electron fractographic technique, 179
grain-boundary gas bubbles, shape studies by stereo electron fractography, 179
mechanical properties of chemical-vapor deposited, 119
mechanical properties, effect of grain structure and temperature during testing, 178

N_2 permeability, diffusion, and solution in, 127
oxidation in CO_2, 104, 228
O_2 adsorption, 105
preparation by electron-beam melting and drop casting, 68
pressure bonding to Mo, 255
pressure bonding to Mo–Re, 255
pressure bonding to Re, 255
pressure bonding to Re–W, 255
pressure bonding to Ta, 255
pressure bonding to W, 255
purification by electron-beam zone melting, 134–35
reaction with Mo_2B_5, TaB_2, TiB_2, and ZrB_2, 184
reaction with UC, 87
single crystals, preparation by electron-beam melting, 68
solubility in liquid alkali and alkaline-earth metals, 171
sound velocity and impedance in, 141
stress-rupture properties, 118–19
structural state, effect of impurities on, 49–49
vapor deposited, effect of C, N, and O additions, 73
weldability, 76, 140
Tungsten (irradiated)
damage mechanism, 177
Tungsten (Mo clad)
extrusion, 72
Tungsten alloy powders (Mo–W)
sintering, 137
Tungsten alloy powders (Re–W)
sintering, 137
Tungsten alloy tubes (Mo–W)
fabrication by extrusion, 254
Tungsten alloy tubes (Re–W)
fabrication by extrusion, 254
Tungsten alloy tubing
CVD, 74
extrusion, 192–93
mandrel drawing, 72
Tungsten alloys
brazing, alloy development for, 75
brazing alloy for, 258
extrusion, bibliography on, 192
preparation by electron-beam melting and drop casting, 68
Tungsten alloys (Cr–W–Y)
protective coatings for, 166
Tungsten alloys (Co–W)
diffusion bonding, 129
Tungsten alloys (Cu–Ni–W)
powder metallurgy, 195
Tungsten alloys (Hf–Nb–Ti–W)
tensile properties, 47–48
Tungsten alloys (Hf–Nb–W)
cavitation damage in H_2O, 32
corrosion by oxygen, 33
tensile properties, 47–48
Tungsten alloys (Hf–Nb–W–Zr)
tensile properties, 47–48
Tungsten alloys (Hf–Ta–W)
cavitation damage in H_2O, 32
Tungsten alloys (Fe–Ni–W)
powder metallurgy, 195
Tungsten alloys (Fe–Nb–W)
oxidation, 105
Tungsten alloys (Mo–Re–W)
corrosion in hot H_3PO_4, 171
evaluation for use as high-temperature nuclear reactor components, 240
properties of CVD coatings, 74
tube production by mandrel drawing, 72
use as brazing alloys for W, 75
Tungsten alloys (Mo–W)
corrosion by Bi, Pb, and Sn at 1000°C, 107–8
Tungsten alloys (Nb–W)
mechanical properties, 177–78
Tungsten alloys (Nb–V–W)
tensile properties, 47–48
Tungsten alloys (Os–Re–W)
powder metallurgy, 195
Tungsten alloys (Os–W)
use as brazing alloys for W, 75
Tungsten alloys (Re–W)
chemical-vapor deposition, 138
corrosion in hot H_3PO_4, 171
corrosion in liquid Li, 35
dislocation structure of slightly strained, 119
electron-beam melting and drop casting, 134
pressure bonding to Re–W, 255
pressure bonding to W, 255
production by arc-melting and powder-metallurgy methods, properties of, 192
production of porous, patent for, 254
shear modulus, 179
stress-rupture properties, 118–19
structure of CVD, 74
tube production by CVD, 74
tube production by mandrel drawing, 72
weldability, 76
Tungsten alloys (Ta–W)
brazing with Ti–V alloys, 140
cavitation damage in H_2O, 32
coating with VSi_2, 105
corrosion by air, 229
corrosion in hot H_3PO_4, 171
corrosion by Fe–Pu and Ce–Co–Pu alloys at 900, 1000, and 1100°C, 6
dislocation structure of slightly strained, 119
electron-beam melting and drop casting, 134
laser-beam welding of thin sheets, 258
properties, 119
resistance spot welding, electrode sticking studies, 76
Tungsten alloys (Tc–W)
forging of Mo encapsulated, 68
preparation by electron-beam melting and drop casting, 68
Tungsten boride dispersions (WB–ZrO_2)
compatibility, 224
Tungsten boride dispersions (WB_2–ZrO_2)
compatibility, 224
Tungsten borides
production patent, 182
Tungsten borides (W_2B_5)
hot hardness, 246–47
hot pressing of fine powders, density and die reactions, 245
microbrittleness, 61–62
microhardness, 61
Tungsten carbide systems (Co–Ni–TiC–WC)
properties, 246
Tungsten carbide systems (Co–NbC–WC)
oxidation, 127–28
properties, 246
Tungsten carbide systems (Co–TaC–WC)
hardness and transverse-rupture strength, effect of C content on, 128
Tungsten carbide systems (Co–WC)
high-pressure sintering, 244–45
transverse-rupture strength, effect of C on, 128
Tungsten carbide systems (HfC–WC)
preparation and properties, 60
Tungsten carbide systems (NbC–WC)
density, electrical conductivity, and microhardness, 129
Tungsten carbide systems (TaC–TiC–WC)
properties of Co cemented, 243
Tungsten carbide systems (TaC–WC)
density, electrical conductivity, and microhardness, 129
preparation and properties, 60
Tungsten carbide systems (TiC–WC)
density, electrical conductivity, and microhardness, 129
hot pressing of fine powders, density and die reactions, 245
preparation and properties, 60
Tungsten carbide systems (WC–VC)
preparation and properties, 60
Tungsten carbide systems (WC–ZrC)
preparation and properties, 60
Tungsten carbides
diffusion of C in, 243
production of, patent for, 182
strain produced by ball milling, 184–85
Tungsten carbides (WC)
corrosion by liquid Li, 171
high-pressure sintering, 244–45
microhardness, 61
oxidation, 127–28
Tungsten carbides (WC)(Co modified)
hot pressing of fine powders, density and die reactions, 245
Tungsten carbides (WC)(irradiated)
swelling, 183
Tungsten cermets (UO_2–W)
fabrication by hot isostatic pressing, 255
Tungsten dispersions (Be–W)
preparation, 220–21
Tungsten dispersions (Co–Mo–Ni–W–Al_2O_3)
properties, 137
Tungsten dispersions (Cr–Mo–Ni–W–La_2O_3)
properties, 137
Tungsten dispersions (Cr–Mo–Ni–W–MgO)
properties, 137
Tungsten dispersions (Co–Mo–Ni–W–ThO_2)
properties, 137
Tungsten dispersions (Co–Mo–Ni–W–Y_2O_3)
properties, 137
Tungsten jet pipe
fabrication, 193
Tungsten nitride
production patent, 182
Tungsten phosphide
production patent, 182
Tungsten powders
densification, 73
fabrication into high-density ingots, 196
pressing and sintering, 195
sintering, grain growth kinetics, 136–37
Tungsten rods
fabrication by extrusion, 254
Tungsten shot
vibratory-packing characteristics, 194
Tungsten silicides
production patent, 182
Tungsten silicides (WSi_2)(irradiated)
swelling, 183
Tungsten sulfide
production patent, 182
Tungsten systems (C–Cr–W)
phase diagram, 59
Tungsten systems (C–Hf–W)
high-temperature strength, effect of composition and heat treatment on, 246–47
weldability, 76
Tungsten systems (C–W)
phase studies, 59
shear modulus, 179
Tungsten systems (Co–TiC–W)
hot pressing of fine powders, density and die reactions, 245

Tungsten systems (ThO_2–W)
  erosion by liquid Li, 109
Tungsten tubes
  extrusion, 192–93
  fabrication by extrusion, 254
  H_2 permeability, 127
  production by CVD techniques, 74
Tungsten wires
  deformation textures in drawn, 179
TZC
  cavitation damage in liquid K, 232–33
  corrosion by K vapor, 169
  creep properties, effect of vacuum and high temperature, 239
  fatigue strength, 49
  high-frequency fatigue tests in vacuum, 178
TZC alloys (Cr–TZC–Y)
  bend strength, effects of vacuum annealing, 46
  stress-rupture properties, 123
TZM
  corrosion by boiling K, 106–7
  corrosion by K vapor, 169
  creep properties, effect of vacuum and high temperature, 239
  resistance spot welding, electrode-sticking studies, 76
  sound velocity and impedance in, 141
  stress-rupture properties, 118–19
TZM alloys
  corrosion in liquid Li, 35
TZM alloys (Mo–TZM)
  corrosion in oxygen, 32
  fabrication into hemispherical shape by shear-spin process, 193

U-700
  corrosion by K vapor, 169
Udimet
  corrosion, 227–28
Udimet 700
  fabrication, 254–55
  inertia welding, 197
  production of high purity, 254
Ultrasonic testing, 77, 141, 200–1, 258–59
Uranium
  arc melting and casting in Cu crucibles, 68
  atom emission from fissioning surface, 14
  corrosion of Al, Ni, and Zn plated in condensing steam, 81
  corrosion protection by aluminum coating, 1
  creep mechanism, study by activation-energy measurements, 145
  crystal growth of alpha, 81
  deformation of monocrystals and polycrystals from creep, activation energies, 1
  determination of minute concentrations in metals, 126–27
  diffusion in alpha Al_2O_3, 87
  diffusion in beta Ti, 145
  diffusion in gamma Fe, 145
  diffusion in Ta, 127
  effects of irradiation at cryogenic temperatures, 11
  electroplating with Ni, 74
  embrittlement by hydrogen, 1
  fabrication into fuel elements by precision extrusion, 69
  fission-product release into helium and air, 11
  grain size, effects on fracture stress, 1
  heat of vaporization, 10
  irradiation effects on linear thermal expansion and growth rate, 11
  mechanical properties of cast highly enriched, 145–47
  melting and casting, crucible materials for, 191
  noble-metal diffusion in, effect of pressure on, 205
  physical properties of cast highly enriched, 145–47
  pressure–temperature phase relations, 81
  radiation effects on swelling due to gas-bubble formation, 1
  solubility in liquid alkali and alkaline-earth metals, 171
  surface potential of H_2 on, 205
  tensile properties, effects of heat treatment on, 205
  vaporization, heat of, 1
Uranium (adjusted)
  creep-rupture mechanisms, 89, 145
Uranium (irradiated)
  density, effect of heat treatment on, 205
  fission-gas bubbles in, 215–16
  oxidation by CO_2, release of ^{85}Kr during, 214
Uranium (molten)
  density, 205
  viscosity, 81
Uranium alloy wire (Ti–U)
  fabrication by swaging, 253
Uranium alloys (Al–Dy–U)
  phase studies, 148
Uranium alloys (Al–Sm–U)
  phase studies, 148
Uranium alloys (Al–U)
  casting patent, use of vibration in, 192
  effects of temperature and alloy level on tensile properties, 1–2
Uranium alloys (Al–U)(irradiated)
  electrical conductivity, 216
  stability, 86
  swelling, 206–7
Uranium alloys (Al–U–Zr)
  phase studies, 148
Uranium alloys (C–U)
  effects of temperature and alloy level on tensile properties, 1–2
Uranium alloys (Cr–U)
  nucleation and growth of martensite in, 145
Uranium alloys (Co–Lu–U)
  mechanical properties, 205–6
Uranium alloys (Co–Tm–U)
  mechanical properties, 205–6
Uranium alloys (Co–U–Y)
  mechanical properties, 205–6
Uranium alloys (fizzium–Pu–U)
  specific heat, 209
Uranium alloys (Ir–U)
  phase diagram, 145, 147
Uranium alloys (Fe–U)
  effects of temperature and alloy level on tensile properties, 1–2
Uranium alloys (Fe–U)(irradiated)
  electrical conductivity, 216
  phase compositions, 206
Uranium alloys (low)(irradiated)
  phase composition studies, 81
Uranium alloys (Lu–Nb–Rh–U)
  mechanical properties, 205–6
Uranium alloys (Lu–Nb–U)
  mechanical properties, 205–6
Uranium alloys (Lu–Rh–U)
  mechanical properties, 205–6
Uranium alloys (Mo–Nb–U)
  studies, 81
Uranium alloys (Mo–Pu–U)
  casting, machinability, and thermal expansion, 83
Uranium alloys (Mo–Sn–U)(irradiated)
  swelling, 206–7
Uranium alloys (Mo–U)
  electron-beam welding, 206
  evaluation as FFTF fuels, 205
  fission-product release in helium and air, 11
  gamma-ray shielding properties, 145
  tensile properties, 145, 148
  thermal conductivity, 145
  time-temperature-transformation curves, 2, 4
  transformation structures on rapid cooling from the gamma phase, 81
Uranium alloys (Mo–U)(irradiated)
  properties, 215–16
  structure properties, 81
  swelling, 206–7
Uranium alloys (Mo–U–Zr)
  studies, 81
Uranium alloys (Ni–Tm–U)
  mechanical properties, 205–6
Uranium alloys (Ni–U–Y)
  mechanical properties, 205–6
Uranium alloys (Nb–U)
  tensile properties, 2, 4–5
Uranium alloys (Nb–U–Zr)
  delayed cracking under constant load, 207–8
  mechanical properties, 82
Uranium alloys (Pu–Ti–U)
  specific heat, 209
Uranium alloys (Pu–U)
  specific heat, 209
Uranium alloys (Pu–U–Zr)
  ductility, effect of temperature on, 149
  evaluation as fast reactor fuels, 209
  evaluation as FFTF fuels, 205
  irradiation studies, 149
  melting and casting evaluation of crucible materials for, 82, 134
  phase diagram, 82
  phase studies, 209
Uranium alloys (Rh–U)
  phase diagram, 145, 147
Uranium alloys (Rh–U–Y)
  mechanical properties, 205–6
Uranium alloys (Ru–U)
  phase diagram, 145, 147
Uranium alloys (Si–U)
  effects of temperature and alloy level on tensile properties, 1–2
Uranium alloys (Th–U–Zr)(Zircaloy clad)(irradiated)
  behavior, 85–86
Uranium alloys (Tm–Rh–U)
  mechanical properties, 205–6
Uranium alloys (Tm–U)
  mechanical properties, 205–6
Uranium alloys (U–V)
  studies, 81
Uranium alloys (U–Zr)
  dissociation pressures of hydrided, 98
  evaluation as FFTF fuels, 205
  melting and casting evaluation of crucible materials for, 82, 134
  specific heat of hydrided, 25
Uranium arsenide systems (UAS–UC)
  phase studies, 212
Uranium arsenide systems (UAS–UN)
  phase studies, 212
Uranium arsenide systems (UAS–UP)
  phase studies, 212
Uranium arsenide systems (UAS–US)
  phase studies, 212
Uranium billets
  production by upset-forge method, 69
Uranium boride

production patent, 182
Uranium carbide powders (UC)
hot-pressing characteristics, 88
Uranium carbide slugs (UC)
casting with improved surfaces, 134
Uranium carbide systems (NbC–UC–ZrC)
melting point and lattice parameters for, 244
Uranium carbide systems (PuC–UC)
compatibility with various cladding materials, 83
reaction with 310 stainless steel, 87
reaction with Incoloy 800, 87
Uranium carbide systems (PuC–UC) (irradiated)
swelling, 83–84
Uranium carbide systems ((Pu,U)C)
phase studies, 152
thermal diffusivity of, 149
Uranium carbide systems (W–UC)
phase diagram, 9
Uranium carbide systems (UAS–UC)
phase studies, 212
Uranium carbide systems (UC–UN)
phase studies, 212
Uranium carbide systems (UC–UP)
phase studies, 212
Uranium carbide systems (UC–US)
phase studies, 212
Uranium carbides
compatibility with W, 10
strain produced by ball milling, 184–85
Uranium carbides (UC)
carburization of stainless steel, prevention by "buffering", 10
compatibility with Mo, 10
density, effect of irradiation on, 152
diffusion coefficient of ^{133}Xe in, 14
ductile–brittle temperature, 60–61
fabrication into slugs for HWOCR, 10–11
heat of formation, 10
iodine diffusion in, 152
lattice parameter, 59
melting point, 59
preparation from UCl_4, 11, 213
reaction with W, 87
self-diffusion of U and C in, 10
thermal conductivity, effect of O_2 addition, 152
thermal diffusivity of, 149
U self-diffusion in, 87
Young's modulus, 212–13
Uranium carbides (UC_2)
crystal structure, 9–10
fission-product release studies, 90
Uranium carbides (U_2C)
crystal structure, 62
Uranium chlorides
conversion to UC, 11
Uranium dispersions (Al–UAl_3)(irradiated)
stability, 86
Uranium films
deposition on stainless steel by the triode method, 196
properties of vapor deposited in ultra-high vacuum and in H_2, 205
Uranium hydride
phase diagram, 160–61
Uranium ingots
solidification rates for, 134
Uranium isotopes (^{233}U)
melting and casting, 134
Uranium nitride dispersions (Mo–UN)
lattice parameters, effect of sintering temperature on, 88
Uranium nitride powder (UN)
preparation and fabrication, 87–88
Uranium nitride systems (ThN–UN)
phase studies, 152
Uranium nitride systems ((U,Pu)N)
burnup, swelling studies during, 209–10
compatibility with stainless steels, 6–7
evaluation as fuel for the LMFBR, 6
literature survey on sodium bonded, 6
plutonium volatilization, 6–7
preparation, 7
thermal conductivity, 6
thermal stability, 6–7
Uranium nitride systems (UAS–UN)
phase studies, 212
Uranium nitride systems (UC–UN)
phase studies, 212
Uranium nitride systems (UN–US)
phase studies, 212
Uranium nitrides
production patent, 182
Uranium nitrides (UN)
effect of U_2N_3 on density of, 213
grain growth, 88
preparation from UO_2, 213
Young's modulus, 212–13
Uranium nitrides (UN)(irradiated)
He-bubble migration in, 90
Uranium nitrides (U_2N_3)
heat of formation, 87
Uranium oxide cermets (stainless steel–UO_2)
fabrication by hot isostatic pressing, 73
Uranium oxide cermets (UO_2–W)
fabrication by hot isostatic pressing, 255
Uranium oxide dispersions (stainless steel–UO_2)
use of porous UO_2 to reduce swelling, 210
Uranium oxide systems (PuO_2–UO_2)
solid–liquid phase diagram, 6
Uranium oxide systems (Sm_2O_3–UO_2)
U oxidation, 100
Uranium oxide systems (Sm_2O_3–UO_2–UO_3)
phase studies, 100
Uranium oxide systems (ThO_2–UO_2)
diffusion of ^{233}Pa in, 151
preparation of aquasols of, 151
preparation of spherical particles, 9
Uranium oxide systems (U–Pu–O)
phase diagram, 84–85
Uranium oxides
distribution of ^{137}Cs, ^{144}Cs, and Pu in irradiated, 14
melting, 134
Uranium oxides (UO_2)
atom emission from fissioning surface, 14
bromine release after ion bombardment, 8
cesium release after ion bombardment, 8
deposition on stainless steel by flame spraying, 8–9
electrical conductivity of single and polycrystalline, 86–87
fission-gas-bubble migration in, 8
fission-product release studies, 90
fission-product release, transport and deposition, 14
melting point, 6
oxidation of spheres in dry air, 8
precipitation from ammonium uranyl carbonate, 8
preparation of spherical particles, 9
preparation of microspheres, 212
reaction with Na, 231
reaction with steam, 88–89, 213–14
rubidium release after ion bombardment, 8
self-diffusion coefficient, 211
surface self-diffusion coefficient, 211
vapor pressure of hypostoichiometric, 8
Young's modulus, 212–13
Uranium oxides (UO_2)(Zircaloy-2 clad)
integrity during emergency spray cooling, 234
reaction with water in TREAT fuel meltdown experiments, 110–11
Uranium oxides (U_3O_8)
preparation of films by internal electrolysis, 151
Rn and Xe diffusion studies, 90
Uranium phosphide
production patent, 182
reaction with 304 stainless steel at high temperature, 152
reaction with Hastelloy X, 152
Uranium phosphide powders (UP)
hot-pressing characteristics, 88
Uranium phosphide systems (UAS–UP)
phase studies, 212
Uranium phosphide systems (UC–UP)
phase studies, 212
Uranium phosphide systems (UP–US)
phase studies, 212
Uranium rods
rolling studies, 69
Uranium silicide
production patent, 182
Uranium silicide (U_3Si)(irradiated)
swelling, 87
swelling of Zircaloy clad, 81–82
Uranium sulfide
production patent, 182
Uranium sulfide powders (US)
hot-pressing characteristics, 88
Uranium sulfide systems (UAS–US)
phase studies, 212
Uranium sulfide systems (UC–US)
phase studies, 212
Uranium sulfide systems (UN–US)
phase studies, 212
Uranium sulfide systems (UP–US)
phase studies, 212
Uranium system rods (C–U)
fabrication by extrusion, 253–54
Uranium systems (C–N–O–U)
phase studies, 151
Uranium systems (C–N–U)
phase diagram, 151–52, 212
Uranium systems (C–O–U)
phase studies, 9
Uranium systems (H–U)
phase diagram, 81
Uranium systems (Fe–Si–U)
rod and tube rolling studies, 69
Uranium systems (Mo–Si–U)(irradiated)
swelling, 206–7
Uranium systems (O–Pu–U)
thermodynamics, 209
Uranium systems (Si–U)(irradiated)
properties, 216–17
Uranium tubes
fabrication, 136
fabrication by extrusion, 69
production by rotary piercing of U billets, 136
rolling studies, 69
Uranium tubes (Zircaloy clad)
fabrication by coextrusion, 136
Uranium wire
fabrication by swaging, 253

Vanadium
CO_2 and O_2 adsorption on surfaces, 105
chemical-vapor deposition onto Mo, Nb, Ta, and W, 255–56
corrosion by inorganic acids, 228
corrosion by liquid Na, 230–31
corrosion by oxygen, 33
ductile–brittle transition temperature, effect of H_2 on, 119–20
electron-beam melting and drop casting, 134

preparation by electron-beam melting and drop casting, 68
purification, 135
purification by electron-beam zone melting, 134–35
solubility in liquid alkali and alkaline-earth metals, 171
tensile properties, effect of Al and Si concentrations in, 239
Vanadium (irradiated)
corrosion by liquid Na, 168
Vanadium alloys
evaluation for LMFBR fuel-cladding material, 240
preparation by electron-beam melting and drop casting, 68
Vanadium alloys (Al–Mo–Ti–V)
diffusion bonding, 76
diffusion welding of sheets, 258
explosive welding, 140
laser-beam welding of thin sheets, 258
pressure bonding to Inconel 600, 195
Vanadium alloys (Al–Ti–V)
diffusion bonding, 76
diffusion welding of sheets, 258
drawing, vibration effects on, 70
explosive welding, 140
inertia welding, 197
reaction with H_2 at low temperature, 25
Vanadium alloys (Al–V)
mechanical properties, 51
Vanadium alloys (Cr–Fe–V–Zr)
mechanical properties, 52
Vanadium alloys (Cr–Ti–V)
burst strength and ductility of tubing, 51
mechanical properties, 52, 239
mechanical properties, effect of heat treatment on, 239
Vanadium alloys (Cr–Ti–V)(irradiated)
burst strength and ductility of tubing, 51
tangential rupture strength of, 175–76
Vanadium alloys (Cr–V)
mechanical properties, 51
Vanadium alloys (Cr–V)(irradiated)
tensile properties, 176
Vanadium alloys (Cr–V–Y)
bend strength, effects of vacuum annealing, 46
tensile properties in Ar, 45–46
Vanadium alloys (Hf–Mo–Nb–V)
tensile properties, 47–48
Vanadium alloys (Hf–Nb–V)
corrosion by oxygen, 33
tensile properties, 47–48
Vanadium alloys (Hf–V)
phase diagram, 223–24
Vanadium alloys (Fe–Nb–V)
oxidation, 105
Vanadium alloys (Mg–V)
phase diagram, 240
Vanadium alloys (Mo–V)
mechanical properties, 51
Vanadium alloys (Nb–Ta–V)
use as brazing alloys for W, 76
Vanadium alloys (Nb–Ti–V)
corrosion by liquid Na, 230–31
Vanadium alloys (Nb–V)
mechanical properties, 51
pressure bonding to Nb–V, 255
properties, effect of Nb content on, 166
tensile properties, 47–48
Vanadium alloys (Nb–V–W)
tensile properties, 47–48
Vanadium alloys (Ta–Ti–V)
use as brazing alloy for W, 76
Vanadium alloys (Ta–V)
tensile properties, 47–48
Vanadium alloys (Sn–V)
mechanical properties, 51
Vanadium alloys (Ti–V)
corrosion by liquid Na, 34–35, 230
creep properties, 57
mechanical properties, 51–52
mechanical properties, effect of heat treatment on, 239
performance as cladding material, 7
Vanadium alloys (Ti–V)(irradiated)
tensile properties, 176
Vanadium alloys (U–V)
studies, 81
Vanadium alloys (V–Zr)
mechanical properties, 51
Vanadium borides
production patent, 182
Vanadium borides (VB_2)
microbrittleness, 61–62
microhardness, 61
Vanadium carbide systems (WC–VC)
preparation and properties, 60
Vanadium carbides
diffusion of C in, 243
Vanadium carbides (VC)
ductile–brittle temperature, 60–61
hot pressing of fine powders, density and die reactions, 245
microhardness, 61
production of, patent for, 182
structure, 243
Vanadium carbides (V_2C)
structure, 185, 243
Vanadium carbohydrides
structure, 243
Vanadium nitride
production patent, 182
Vanadium phosphide
production patent, 182
Vanadium silicide
production patent, 182
Vanadium sulfide
production patent, 182
Vanadium systems (B–V)
phase studies, 27
Vanadium systems (C–Cr–Fe–V–Zr)
creep properties, 57
Vanadium systems (C–Fe–Nb–V–Zr)
creep properties, 57
Vanadium systems (Si–V)
mechanical properties, 51
Vanstar-8
evaluation as LMFBR fuel-cladding material, 239
Vanstar-9
evaluation as LMFBR fuel-cladding material, 239

Waspaloy
fabrication, 254–55
Water
reaction with liquid Al, 233
reaction with liquid Pb, 233
reaction with metals during loss-of-coolant accident, 233–34
Waukeska (23)
wear characteristics in room-temperature water, effect of pH on, 165
Waukeska (28)
wear characteristics in room-temperature water, effect of pH on, 165
Welding, 75–77, 139–41, 197–200, 257–58
use of vapometallurgy, 73
Welds
ultrasonic testings, 200–1

X-40
fabrication, 254–55
Xenon
diffusion in Cu, 12
Xenon-133
diffusion in UC, coefficient of, 14

Ytterbium
fabrication by cold working, 194
Ytterbium oxide systems (PdO–Yb_2O_3)
phase studies, 184
Yttrium
corrosion by U–Cr eutectic, 36
corrosion by U–Mo eutectic, 36
fabrication by cold working, 194
Yttrium alloys (Al–Cr–Fe–Y)
development for fuel cladding, 69
Yttrium alloys (Al–Cr–Fe–Y)(irradiated)
stress-rupture properties, 115
Yttrium alloys (Cr–Hf–Th–Y)
bend strength, effects of vacuum annealing, 46
stress-rupture properties, 123
tensile properties in Ar, 45–46
Yttrium alloys (Cr–W–Y)
protective coatings for, 166
Yttrium alloys (Cr–TZC–Y)
bend strength, effects of vacuum annealing, 46
stress-rupture properties, 123
tensile properties in Ar, 45–46
Yttrium alloys (Cr–V–Y)
bend strength, effects of vacuum annealing, 46
tensile properties in Ar, 45–46
Yttrium alloys (Cr–Y)
bend strength, effects of vacuum annealing, 46
stress-rupture properties, 123
tensile properties in Ar, 45–46
Yttrium alloys (Co–U–Y)
mechanical properties, 205–6
Yttrium alloys (Ni–U–Y)
mechanical properties, 205–6
Yttrium alloys (Rh–U–Y)
mechanical properties, 205–6
Yttrium alloys (Sm–Y)
properties, 191–92
Yttrium carbohydrides
structure, 243
Yttrium dispersions (Cr–Mo–Y–Y_2O_3)
properties, 137
Yttrium oxide dispersions (Cr–Hf–Mo–Y_2O_3)
properties, 137
Yttrium oxide dispersions (Cr–Mo–Th–Y_2O_3)
properties, 137
Yttrium oxide dispersions (Cr–Mo–Y–Y_2O_3)
properties, 137
Yttrium oxide dispersions (Co–Mo–Ni–W–Y_2O_3)
properties, 137
Yttrium oxide dispersions (Y_2O_3–Zr)
fabrication, 54
Yttrium oxide systems (PdO–Y_2O_3)
phase studies, 184
Yttrium oxide systems (ThO_2–Y_2O_3)
fabrication of tubes by slip casting, 9
Yttrium oxides (Y_2O_3)
corrosion by liquid Li, 170–71
densification, 186
elastic properties, 130
hot pressing of fine powders, density and die reactions, 245
Yttrium tritide
thermal expansion on aging, 98

Zinc alloys (Ca–Zn)
reaction with H_2, 222–23

Zinc alloys (Li–Zn)
reaction with A_2, 222–23
Zircaloy
ductile–brittle properties, effect of H_2 on, 161
fission-product release studies, 90
Zircaloy tubing
stress-oriented hydrides in, effect of fabrication history on, 179–80
Zircaloy-2
braze-alloy development for, 200
corrosion in a fog-cooled reactor environment, 30
corrosion in LiOH–H_2O systems, effects of neutron irradiation, 30
corrosion in LiOH- and Na_4OH-treated water during irradiation, 30
corrosion in NH_4OH–H_2O systems, effects of neutron irradiation, 30
corrosion by Santowax OM, 37
corrosion in steam, effects of neutron irradiation, 30
corrosion in steam, effects of pressure, 30
corrosion by H_2O, effect of pickling and electropolishing, 226
corrosion by H_2O, kinetics of, 226
creep properties, 121
diffusion bonding to steels, 257
fabrication of tubes, grain orientation, 53
hydriding, 30–31
hydriding, effect of surface coatings on rate of, 25
hydriding in Hanford production reactors, 30–31
hydriding in LiOH solutions, 161
hydriding in low-temperature aqueous solutions, 226
hydrogen solubility in, 53, 161–62
mechanical properties, 241
orientation of ZrH on grain boundaries, 161–62
oxidation, 226
oxidation by dry air, 109
oxidation by steam, 109–11
precipitation of ZrH in, habit planes for, 241
specific heat, 53
strength, effects of irradiation on, 38
Zircaloy-2 (hydrided)(irradiated)
embrittlement, 116
Zircaloy-2 (irradiated)
tensile properties, 116
Zircaloy-2 tubing
collapse pressures, 121
failure, effect of circumferentially aligned hydrides in, 180
Zircaloy-4
H_2 solubility in, 161–62
H_2 pickup in LiOH solution at 315 and 360°C, 102
H_2 solubility in, 53
oxidation by steam, 109–11, 234–35
plane-strain fracture, strength, effect of H_2 on, 53–54
precipitation of ZrH in, habit planes for, 241
tensile properties, effect of H_2 on, 240–41
Zircaloy-4 (irradiated)
ultimate strength, 115–16
yield strength, 115–16
Zircaloy-4 alloys (Nb–Zircaloy)
corrosion in steam and water, 164
Zircaloy-4 tubing
tensile properties, effect of H_2 on, 121–22
Zirconia
strength, effects of surface treatment on, 248
Zirconia (fused)
use as crucibles for melting and casting U, 191
Zirconium
corrosion by inorganic acids, 228
creep properties, 121
corrosion in liquid Na, 34–35
diffusion of C in, 58
diffusion of H_2 in, 242–43
diffusion of Y in, 242
electron-beam melting and drop casting, 134
fabrication, 136
grain growth in recrystallization, 52
H_2 solubility in, 161–62, 242
H_2 trapping in, 58
hydrogenation, protection from, 233
oxidation, 31, 164
oxidation in CO_2, protection by Al films, 102
oxidation, kinetics of, 31
oxidation, protection with Cr coating, 226
preparation by electron-beam melting and drop casting, 68
pressure bonding to Re, 255
purification by vertical-zone melting, 192
recrystallization behavior, 52–53
solubility in liquid alkali and alkaline-earth metals, 171
study of sites of increased electronic conductivity in anodic oxide films on, 226
Zirconium (hydrided)
deformation, 241
Zirconium (liquid)
oxidation of droplets in N_2–O_2 mixtures, 102
Zirconium alloy tubes (Nb–Zr)
stress-fracture properties, 122
Zirconium alloys
in-pile creep of, 235
oxidation, 164
oxidation, protection with Cr coating, 226
preparation by electron-beam melting and drop casting, 68
study of sites of increased electronic conductivity in anodic oxide films on, 226
Zirconium alloys (irradiated)
radiation effects, review, 172
Zirconium alloys (3Z1)
hydriding, effect of surface pickling on rate of, 25
Zirconium alloys (Al–U–Zr)
phase studies, 148
Zirconium alloys (Be–Zr)
rod production by extrusion, 221
Zirconium alloys (Cr–Fe–Sn–Zr)
aqueous corrosion, 164
Zirconium alloys (Cr–Fe–V–Zr)
mechanical properties, 52
Zirconium alloys (Cr–Nb–Zr)
hardening characteristics, 180–81
Zirconium alloys (Cr–Zr)
oxidation, effect of Zr content on, 166
Zirconium alloys (coated)
H diffusion in, 58
Zirconium alloys (Cu–Zr)
crystal structure, effect of tempering at high temperatures, 241
mechanical properties, effects of adding other metals, 180
Zirconium alloys (Hf–Nb–W–Zr)
tensile properties, 47–48
Zirconium alloys (Hf–Nb–Zr)
tensile properties, 47–48
Zirconium alloys (Mg–Zr)
creep strength in air and dry CO_2, 179–80
stress-rupture properties, 56–57
Zirconium alloys (Mo–Ti–Zr)
phase diagram, 50
Zirconium alloys (Nb–U–Zr)
delayed cracking under constant load, 207–8
mechanical properties, 82
Zirconium alloys (Nb–Zr)
cavitation damage in H_2O, 32
corrosion by boiling K, 106–7
corrosion by liquid Li, 107, 170–71
corrosion by liquid Na, 168
corrosion by steam, effects of pressure, 30
diffusion bonding to steels, 257
electron-beam melting and drop casting, 134
erosion by liquid Li, 109
evaluation for LMFBR fuel-cladding material, 240
hardness, effect of nitride precipitation in, 178
H_2 solubility in, 161–62
in-pile creep tests, 172
mechanical properties, 177–78
oxidation, 164
strength test on tubes, 53
stress-rupture properties, 118–19
tensile properties, 47–48, 238
tensile properties, effect of O_2 contamination, 177
tensile properties, effect of solution heat-treatment temperature, 122
Zirconium alloys (Nb–Zr)(irradiated)
tensile properties, 238
Zirconium alloys (Pu–U–Zr)
ductility, effect of temperature on, 149
irradiation studies, 149
evaluation as fast reactor fuels, 209
melting and casting evaluation of crucible materials for, 82, 134
phase diagram, 82
phase studies, 209
specific heat, 209
Zirconium alloys (Ta–Zr)
corrosion by air, 33
corrosion by He–O_2 mixtures, 33
Zirconium alloys (Th–U–Zr)(Zircaloy clad)(irradiated)
behavior, 85–86
Zirconium alloys (U–Zr)
dissociation pressures of hydrided, 98
melting and casting evaluation of crucible materials for, 82, 134
specific heat of hydrided, 25
Zirconium alloys (V–Zr)
mechanical properties, 51
Zirconium alloys (Zr-55)
corrosion by terphenyl coolants, 36–37
Zirconium boride dispersions (ZrB_2–ZrO_2)
compatibility, 224
Zirconium boride systems (Mo–ZrB_2)
preparation and properties, 27
properties, 129
Zirconium boride systems ($MoSi_2$–ZrB_2)
properties, 129
Zirconium borides
production patent, 182
properties at high temperatures, 184
Zirconium borides (ZrB_2)
fabrication by hot pressing, 196, 245
microbrittleness, 61–62
microhardness, 61
production of poreless by chemical-activation sintering, 129
Zirconium button ingots

melting by plasma electron beam, 135
Zirconium carbides (ZrC)
Zirconium carbide powder
characterization of, 182–83
^{137}X diffusion from, 126
Zirconium carbide systems (C–ZrC)
skull arc melting and drop casting, 191
Zirconium carbide systems (Mo_2C_2–ZrC)
preparation and properties, 60
Zirconium carbide systems (NbC–UC–ZrC)
melting point and lattice parameters for, 244
Zirconium carbide systems (TaC–ZrC)
melting point and lattice parameters for, 244
Zirconium carbide systems (WC–ZrC)
preparation and properties, 60
Zirconium carbides (ZrC)
activation sintering with additions of 1.5 to 2 wt. percent Ni, 244
C diffusion in, 58
chemical stability in acids and oxidants, 128–29
diffusion of C in, 243
electrical conductivity, 60, 184
erosion by liquid Li, 109
fabrication, 130
hot pressing of fine powders, density and die reactions, 245
lattice parameter, 59
linear thermal expansion, 60
melting point, 59
microbrittleness, 61–62
microhardness, 61
oxidation, 127
production of, patent for, 182
properties at high temperatures, 184
strain produced by ball milling, 184–85
structure, 243
thermal conductivity, 184
Zirconium carbides (ZrC)(irradiated)
swelling, 183
Zirconium carbohydrides
structure, 243
Zirconium compacts (Mg–Zr)
mechanical properties at high temperatures, 195
Zirconium dispersions (Zr–Y_2O_3)
fabrication techniques, 54
Zirconium hydrides
diffusion coefficients of Zr in, 24
thermodynamic properties, 97
Zirconium hydrides (ZrH_2)
production of ultrafine powder of, 25
Zirconium ingots
vacuum arc melting, heat transfer to water-cooled Cu crucibles, 134
Zirconium intermetallic compounds ($ZrCr_2$)
pressure isotherms with H_2 between O and 900°C at H_2 pressures between 10^{-4} and 760 torrs, 98–99
Zirconium intermetallic compounds ($ZrMo_2$)
pressure isotherms with H_2 between O and 900°C at H_2 pressures between 10^{-4} and 760 torrs, 98–99
Zirconium intermetallic compounds (ZrV_2)
pressure isotherms with H_2 between O and 900°C at H_2 pressures between 10^{-4} and 760 torrs, 98–99
Zirconium nitrides (ZrN)
electrical properties, 60
hot pressing of fine powders, density and die reactions, 245
production patent, 182
properties at high temperatures, 184
Zirconium nitrides (ZrN)(irradiated)
swelling, 183
Zirconium oxide systems (SrO–ZrO_2)
phase studies, 63
Zirconium oxides
reduction to metal, 68
Zirconium oxides (ZrO_2)(Y_2O_3 stabilized)
hot pressing of fine powders, density and die reactions, 245
Zirconium phosphide
production patent, 182
Zirconium powders
pressing and sintering, 195
Zirconium silicides
production patent, 182
properties at high temperatures, 184
Zirconium silicides ($ZrSi_2$)(irradiated)
swelling, 183
Zirconium silicides ($ZrSi_2$)
hot pressing of fine powders, density and die reactions, 245
Zirconium sulfide
production patent, 182
Zirconium systems (C–Cr–Fe–V–Zr)
creep properties, 57
Zirconium systems (C–Hf–Nb–Zr)
phase diagrams, 127
Zirconium systems (C–Fe–Nb–V–Zr)
creep properties, 57
Zirconium systems (C–Nb–Zr)
phase studies, 59–60
Zirconium systems (H–Zr)
phase diagram, 98
shear modulus, 97
thermal expansion and Young's modulus, 97
Zirconium tubes
forming of external projections on, 194

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.